

The following catalog  
has gaps in its page  
numbers, or doesn't  
have any numbers.  
We have chosen to  
leave the page  
numbering in the  
order that Acrobat  
assigns it.

SPECIAL PARTS LIST FOR MODEL 3.0PF-3P SPEC 13571A  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column D  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0205

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Milwaukee Tool					
220-1951	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
211-0245	1	Ball Assembly, Generator End			
403-1040	1	Frame, Carrying			
200-1094	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR MODEL 4.0PG-3P SPEC 13571A  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0205

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Milwaukee Tool Remote Receptacle Box					
220-1952	1	Stator, Wound			
201-2023	1	Rotor, Wound			
211-0245	1	Bell Assembly, Generator End			
403-1041	1	Frame, Carrying			
300-1094	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR MODEL 4.0PK-3P SPEC 13571A  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column G  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0205

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Remote Receptacle Box					
220-1952	1	Stator, Wound			
201-2023	1	Rotor, Wound			
520-0808	1	Stud, Rotor Through (5/16 X 6-5/16")			
211-0245	1	Bell Assembly, Generator End			
300-1094	1	Box Assembly, Receptacle			
403-1041	1	Frame, Carrying			

SPECIAL PARTS LIST FOR MODEL 5.0PH-3P SPEC 13571A  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column F  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0205

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Milwaukee Tool Remote Receptacle Box					
220-1953	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1041	1	Frame, Carrying			
211-0245	1	Bell Assembly, Generator End			
300-1094	1	Box Assembly, Receptacle			

**FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column A**  
**(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)**

WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2472	1	Stator, Wound			
201-2020	1	Rotor, Wound			
211-0266	1	Bell Assembly, Generator End			
323-0923	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR MODEL 2.0PE-1P SPEC 14000A  
FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column C  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2473	1	Stator, Wound			
201-2021	1	Rotor, Wound			
323-0923	1	Box Assembly, Receptacle			
211-0266	1	Bell Assembly, Generator End			

SPECIAL PARTS LIST FOR **MODEL** 3.0PF-3P **SPEC** 14000A  
**FOR STANDARD PARTS REFER TO CATALOG** 919-0305 **KEY NO.** Column D  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2474	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16)			
323-0924	1	Box Assembly, Receptacle			
211-0266	1	Bell Assembly, Generator End			



SPECIAL PARTS LIST FOR MODEL 5.5PH-3P SPEC 14000A  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column F  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1259	1	Frame, Carrying			
323-0924	1	Box Assembly, Receptacle			

FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO Column E  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. \_\_\_\_\_ (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2475	1	Stator, Wound			
201-2023	1	Rotor, Wound			
403-1259	1	Frame, Carrying			
323-0924	1	Box Assembly, Receptacle			
211-0266	1	Bell Assembly, Generator End			

FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column B  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** \_\_\_\_\_ **(AC) 601-0209**

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2473	1	Stator, Wound			
201-2021	1	Rotor, Wound			
211-0266	1	Bell Assembly, Generator End			
323-0923	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR MODEL 3.0PF-3P SPEC 14680A  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO Column D  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC)601-0204

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Desco Div.					
220-1951	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
403-1127	1	Frame, Carrying			



**Power  
Generation**

Dated Sept. 1, 1979

Revised

Page 1 of 1  
 Redistribution or publication of this document by any means, is strictly prohibited.

SPECIAL PARTS LIST FOR MODEL 5.5PH-3P SPEC 14696A  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC)601-0204

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: John Farmer Ind.					
220-1953	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1126	1	Frame, Carrying			

WIRING DIAGRAM NO. (AC) 601-0204

**Manufactured For: John Farmer Ind.**

SPECIAL PARTS LIST FOR MODEL 3.0PF-3P SPEC 14697A  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column D  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0204

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: John Farmer Ind.					
220-1951	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
403-1127	1	Frame, Carrying			

**WIRING DIAGRAM NO.** (AC) 601-0203

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-1950	1	Stator, Wound			
201-2671	1	Rotor, Wound			
234-0533	1	Cover, Protective - End Bell			
815-0340	2	Screw, Machine - Hex Head			
		Cover Mounting (10-32 X 3/8")			



SPECIAL PARTS LIST FOR **MODEL** 3.0PF-3P **SPEC** 14753A  
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column D  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (AC) 601-0204

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Argro Power					
220-1951	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
403-1127	1	Frame, Carrying			

SPECIAL PARTS LIST FOR MODEL 5.5PH-3P SPEC 14754A  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC)601-0204

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: John Farmer Ind.					
220-1953	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1126	1	Frame, Carrying			

SPECIAL PARTS LIST FOR MODEL 4.5PG-3P SPEC 14754B  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column E  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC) 601-0204

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-1952	1	Stator, Wound			
201-2023	1	Rotor, Wound			
403-1126	1	Frame, Carrying			

SPECIAL PARTS LIST FOR MODEL 1.2PD-1P SPEC 15150A  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column A  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0207

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-1949	1	Stator, Wound			
201-2020	1	Rotor, Wound			
211-0245	1	Bell Assembly, Generator End			
234-0533	1	Cover, Protective - End Bell			
815-0340	2	Screw, Machine - Hex Head			
		Cover Mounting (10-32 X 3/8")			
338-0773	1	Harness, Wiring - End Bell To			
		Receptacle Box			
323-0876	2	Bracket, Receptacle Box			
		Mounting			
301-3672	1	Bracket, Receptacle Mounting			
301-3743	1	Cover, Box			
301-3649	1	Box, Receptacle			
232-2433	1	Cover, End Bell			

Parts Not Furnished By Onan  
 Receptacles

SPECIAL PARTS LIST FOR MODEL 1.2PD-1P SPEC 15581C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column A  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
----------	------	-------------	----------	------	-------------

Manufactured For: W.W. Grainger

220-2472	1	Stator, Wound			
201-2020	1	Rotor, Wound			
323-0969	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR MODEL 1.2PC-1P SPEC 15581D  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column B  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0203

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: W.W. Grainger					
220-1949	1	Stator, Wound			
201-2020	1	Rotor, Wound			
520-0806	1	Stud, Rotor Through (5/16 X 4-13/16")			
800-0017	4	Screw, Cap-Hex Head, Stud Stator Through (1/4-20 X 3-1/2")			
234-0533	1	Cover, Protective - End Bell			
815-0340	2	Screw, Machine - Hex Head, Cover Mounting (10-32 X 3/8")			
403-1172	2	Hinge, Carrying Handle			
403-1173	1	Handle, Carrying			

SPECIAL PARTS LIST FOR MODEL 1.2PC-1P SPEC 15581E  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: W.W. Grainger					
220-2472	1	Stator, Wound			
201-2020	1	Rotor, Wound			
520-0806	1	Stud, Rotor Through (5/16 X 4-13/16")			
800-0017	4	Screw, Cap-Hex Head, Stud Stator Through (1/4-20 X 3-1/2")			
323-0969	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR MODEL 3.0PF-3P SPEC 15582A  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column D  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0204

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: W.W. Grainger					
220-1951	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
403-1167	1	Frame, Carrying			



SPECIAL PARTS LIST FOR MODEL 3.0PF-3P SPEC 15582C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO Column D  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: W.W. Grainger					
220-2474	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
403-1167	1	Frame, Carrying			
323-0967	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR MODEL 1.7PC-1P SPEC 15582D  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column B  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC) 601-0203

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: W.W. Grainger					
220-1950	1	Stator, Wound			
201-2021	1	Rotor, Wound			
234-0533	1	Cover, Protective - End Bell			
815-0340	2	Screw, Machine - Hex Head, Cover Mounting (10-32 X 3/8")			
403-1167	1	Frame, Carrying			
402-0420	4	Dampener, Vibration			
337-0097	1	Strap, Ground			
403-1034	1	Base, Mounting			

SPECIAL PARTS LIST FOR MODEL L7PC-1P SPEC 15582E  
FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column B  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: W.W. Grainger					
220-2473	1	Stator, Wound			
201-2021	1	Rotor, Wound			
403-1167	1	Frame, Carrying			
402-0420	4	Dampener, Vibration			
337-0097	1	Strap, Ground			
403-1034	1	Base, Mounting			
323-0969	1	Box Assembly, Receptacle			

WIRING DIAGRAM NO. (AC) 601-0204

220-1952	1	Stator, Wound
201-2023	1	Rotor, Wound
493-1168	1	Frame, Carrying

SPECIAL PARTS LIST FOR MODEL 4.0PK-3P SPEC 15583A  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column G  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC) 601-0204

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-1952	1	Stator, Wound			
201-2023	1	Rotor, Wound			
520-0808	1	Stud, Rotor Through (5/16 X 6-5/16")			
403-1168	1	Frame, Carrying			

SPECIAL PARTS LIST FOR MODEL 4.0PK-3P SPEC 15583C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column G  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2475	1	Stator, Wound			
201-2023	1	Rotor, Wound			
520-0808	1	Stud, Rotor Through (5/16 X 6-5/16")			
403-1168	1	Frame, Carrying			
323-0967	1	Box Assembly, Receptacle			
100-1617	1	Engine, 10 Horsepower (Briggs & Stratton Model 220432 Spec 0131-01, For Component Parts Refer To Manufacturer)			
331-0053	5	Locknut - Exhaust (1")			
505-0333	1	Elbow, Street - Exhaust (1 X 45°)			
505-0107	1	Nipple, Pipe - Exhaust (1 X 2")			
155-1564	1	Muffler, Exhaust			
505-0004	1	Nipple, Pipe - Exhaust (1 X 1-1/2")			
505-0124	1	Elbow, Pipe - Exhaust (1 X 45°)			

SPECIAL PARTS LIST FOR MODEL 4.0PN-3P SPEC 15583C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column C  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: W.W. Grainger					
220-2475	1	Stator, Wound			
201-2023	1	Rotor, Wound			
100-1681	1	Engine, 11 Horsepower (Briggs & Stratton Model 251412 For Component Parts Refer To Manufacturer)			
520-0808	1	Stud, Rotor Through (5/16" X 6- 5/16")			
211-0266	1	Bell Assembly, Generator End			
403-1168	1	Frame, Carrying			
323-0967	1	Box Assembly, Receptacle			
331-0053	5	Locknut - Exhaust (1")			
505-0333	1	Elbow, Street - Exhaust (1 X 45°)			
505-0107	1	Nipple, Pipe - Exhaust (1 X 2")			
155-1564	1	Muffler, Exhaust			
505-0004	1	Nipple, Pipe - Exhaust (1 X 1-1/2")			
505-0124	1	Elbow, Pipe - Exhaust (1 X 45°)			

SPECIAL PARTS LIST FOR MODEL 2.0PE-1P SPEC 15985A  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column C  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2473	1	Stator, Wound			
201-2021	1	Rotor, Wound			
211-0266	1	Bell Assembly, Generator End			
403-1106	1	Frame, Carrying			
402-0429	4	Dampener, Vibration			
337-0097	1	Strap, Ground			
403-1034	1	Base, Mounting			
323-0923	1	Box Assembly, Receptacle			



SPECIAL PARTS LIST FOR MODEL 2.0PE-1P SPEC 15985C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO Column C  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Milwaukee Tool					
220-2473	1	Stator, Wound			
201-2021	1	Rotor, Wound			
403-1106	1	Frame, Carrying			
402-0429	4	Dampener, Vibration			
337-0097	1	Strap, Ground			
403-1034	1	Base, Mounting			
323-1079	1	Box Assembly, Receptacle (Includes Parts Marked *)			
301-3916	1	*Box Receptacle			
320-0540	2	*Breaker, Circuit (15 Ampere)			
323-0383	2	*Receptacle, Output (Duplex)			
323-0869	2	*Strap, Ground - Receptacle			

WIRING DIAGRAM NO. \_\_\_\_\_ (AC) 601-0209



SPECIAL PARTS LIST FOR MODEL 1.5PC-1P SPEC 15985E  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO Column B  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2473	1	Stator, Wound			
201-2021	1	Rotor, Wound			
403-1034	1	Base, Engine Mounting			
403-1106	1	Frame, Carrying			
337-0097	1	Strap, Ground			
402-0429	4	Dampener, Vibration			
323-1079	1	Box Assembly, Receptacle (Includes Parts Marked *)			
301-3916	1	*Box, Receptacle			
323-0383	2	*Receptacle, Output - Duplex			
320-0540	2	*Breaker, Circuit (15 Ampere)			
323-0869	2	*Strap, Ground			

SPECIAL PARTS LIST FOR MODEL 3.0PF-3P SPEC 15986A  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column D  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Milwaukee Tool					
220-2474	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
502-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
403-1040	1	Frame, Carrying			
323-0925	1	Box Assembly, Receptacle			
320-0540	1	Breaker, Circuit (15 Ampere)			
320-0541	2	Breaker, Circuit (20 Ampere)			
211-0266	1	Bell Assembly, Generator End			

SPECIAL PARTS LIST FOR MODEL 4.0PG-3P SPEC 15987A  
FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO Column E  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Milwaukee Tool					
220-2475	1	Stator, Wound			
201-2023	1	Rotor, Wound			
211-0266	1	Bell Assembly, Generator End			
323-0925	1	Box Assembly, Receptacle			
403-1041	1	Frame, Carrying			

SPECIAL PARTS LIST FOR MODEL 5.0PH-3P SPEC 15987A  
FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column F  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1041	1	Frame, Carrying			
323-0925	1	Box Assembly, Receptacle			
320-0540	1	Breaker, Circuit (15 Ampere)			
320-0541	2	Breaker, Circuit (20 Ampere)			

SPECIAL PARTS LIST FOR MODEL 5.0PH-3P SPEC 15995A  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column F  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Idlematic Control					
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1041	1	Frame, Carrying			
323-0925	1	Box Assembly, Receptacle			
320-0540	1	Breaker, Circuit (15 Ampere)			
320-0541	2	Breaker, Circuit (20 Ampere)			
355-0062	1	Capacitor - Idlematic (.1 Mfd, 100 Volt)			
315-0414	1	Transformer - Idlematic			

SPECIAL PARTS LIST FOR MODEL 2.0PE-1P SPEC 15998A  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0203

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-1950	1	Stator, Wound			
201-2021	1	Rotor, Wound			
234-0533	1	Cover, Protective - End Bell			
815-0340	2	Screw, Machine - Hex Head Cover Mounting (10-32 X 3/8")			
403-1172	2	Hinge, Carrying Handle			
403-1173	1	Handle, Carrying			



SPECIAL PARTS LIST FOR MODEL 4.0PG-3P SPEC 15999A  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column E  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC)601-0204

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-1952	1	Stator, Wound			
201-2023	1	Rotor, Wound			
403-1199	1	Frame, Carrying			

SPECIAL PARTS LIST FOR **MODEL** 3.0PF-3P **SPEC** 16036A  
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column D  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (AC) 601-0204

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Idlematic Control					
220-1951	1	Stator, Wound			
201-2022	1	Rotor, Wound			
520-0806	1	Stud, Rotor Through (5/16 X 4-13/16")			
403-1127	1	Frame, Carrying			
355-0062	1	Capacitor - Idlematic (.1 Mfd, 100 Volt)			
315-0414	1	Transformer - Idlematic			
231-0195	1	Adapter, Generator			

SPECIAL PARTS LIST FOR MODEL 5.5PH-3P SPEC 16690A  
FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column F  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1126	1	Frame, Carrying			
211-0266	1	Bell Assembly, Generator End			
323-0967	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR MODEL 4.5PG-3P SPEC 16690B  
FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column E  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0200

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2475	1	Stator, Wound			
201-2023	1	Rotor, Wound			
403-1126	1	Frame, Carrying			
211-0266	1	Bell Assembly, Generator End			
323-0967	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR **MODEL** 2.5PF-53BP **SPEC** 17194A  
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column D  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (AC) 601-0205

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Sawary Remote Receptacle Box					
220-2095	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
300-1094	1	Box Assembly, Receptacle			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			

SPECIAL PARTS LIST FOR **MODEL** 4.5PH-53BP **SPEC** 17194A  
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO** Column F  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (AC) 601-0207-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Remote Receptacle Box					
220-2097	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1259	1	Frame, Carrying			
300-1094	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR MODEL 1.4PC-53BP SPEC 17194D  
FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column B  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0207-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Sawary					
220-2094	1	Stator, Wound			
201-2021	1	Rotor, Wound			
211-0245	1	Bell Assembly, Generator End			
300-1094	1	Box Assembly, Receptacle - Remote			
232-2433	1	Cover, End Bell			

SPECIAL PARTS LIST FOR MODEL 1.7PC-1P SPEC 17196E  
FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column B  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Sawary					
220-2473	1	Stator, Wound			
201-2021	1	Rotor, Wound			
323-0923	1	Box Assembly, Receptacle			



SPECIAL PARTS LIST FOR MODEL 1.6PE-53CP SPEC 17197C  
FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column C  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2571	1	Stator, Wound			
201-2021	1	Rotor, Wound			
323-0924	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR **MODEL** 2.5PE-53BP **SPEC** 17197C  
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column I  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Sawary					
220-2564	1	Stator, Wound			
201-2022	1	Rotor, Wound			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
231-0195	1	Adapter, Generator			
323-0924	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR MODEL 2.5PF-53CP SPEC 17197C  
FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column D  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2572	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
323-0924	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR **MODEL** 3.0PF-3P **SPEC** 17197C  
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column D  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Sawary					
220-2474	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
323-0924	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR MODEL 3.7PG-53CP SPEC 17197C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column E  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2573	1	Stator, Wound			
201-2023	1	Rotor, Wound			
403-1259	1	Frame, Carrying			
323-0924	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR MODEL 3.7PK-53CP SPEC 17197C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column G  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2573	1	Stator, Wound			
201-2023	1	Rotor, Wound			
520-0808	1	Stud, Rotor Through (5/16 X 6-5/16")			
100-1517	1	Engine, 10 Horsepower (Briggs & Stratton Model 251412 Spec 0214-01, For Component Parts Refer To Manufacturer)			
403-1259	1	Frame, Carrying			
331-0053	5	Locknut - Exhaust (1")			
505-0333	1	Elbow, Street - Exhaust (1 X 45°)			
505-0107	1	Nipple, Pipe - Exhaust (1 X 2")			
155-1564	1	Muffler, Exhaust			
505-0004	1	Nipple, Pipe - Exhaust (1 X 1-1/2")			
505-0124	1	Elbow, Pipe - Exhaust (1 X 45°)			
323-0924	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR MODEL 4.5PH-53BP SPEC 17197C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column F  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Sawary					
220-2566	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1259	1	Frame, Carrying			
323-0924	1	Box Assembly, Receptacle			
331-0053	4	Locknut - Exhaust (1")			
505-0004	1	Nipple, Close - Exhaust (1" X 1-1/2")			
505-0086	1	Nipple, Exhaust (1" X 2-1/2")			
505-0041	1	Elbow, Pipe - Exhaust (1" X 90°)			

SPECIAL PARTS LIST FOR MODEL 4.5PH-53CP SPEC 17197C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column F  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2574	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1259	1	Frame, Carrying			
323-0924	1	Box Assembly, Receptacle			
331-0053	4	Locknut - Exhaust (1")			
505-0004	1	Nipple, Close - Exhaust (1" X 1-1/2")			
505-0086	1	Nipple, Exhaust (1" X 2-1/2")			
505-0041	1	Elbow, Pipe - Exhaust (1" X 90°)			



SPECIAL PARTS LIST FOR MODEL 4.5PM-53BP SPEC 17197C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column F  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2566	1	Stator, Wound			
201-2024	1	Rotor, Wound			
211-0266	1	Bell Assembly, Generator End			
403-1259	1	Frame, Carrying			
323-0924	1	Box Assembly, Receptacle			

**WIRING DIAGRAM NO.** (AC) 601-0209

Redistribution or publication of this document  
by any means, is strictly prohibited.

SPECIAL PARTS LIST FOR **MODEL** 1.4PC-53BP **SPEC** 17197E  
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column B  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Sawary					
220-2563	1	Stator, Wound			
201-2021	1	Rotor, Wound			
323-0924	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR **MODEL** 1.4PC-53CP **SPEC** 17197E  
FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column B  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2571	1	Stator, Wound			
201-2021	1	Rotor, Wound			
323-0924	1	Box Assembly, Receptacle			

FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column D  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2564	1	Stator, Wound			
201-2022	1	Rotor, Wound			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
231-0195	1	Adapter, Generator			
323-0968	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR MODEL 3.0PF-3P SPEC 17249C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column D  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Sidericoudis					
220-2474	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
323-0967	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR **MODEL** 2.5PF-53BP **SPEC** 17251C  
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column D  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2564	1	Stator, Wound			
201-2022	1	Rotor, Wound			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
231-0195	1	Adapter, Generator			
323-0954	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR MODEL 4.5PH-53BP SPEC 17251C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column F  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2566	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1259	1	Frame, Carrying			
323-0954	1	Box Assembly, Receptacle			
331-0053	4	Locknut - Exhaust (1")			
505-0004	1	Nipple, Close - Exhaust (1" X 1-1/2")			
505-0086	1	Nipple, Exhaust (1" X 2-1/2")			
505-0041	1	Elbow, Pipe - Exhaust (1" X 90°)			



SPECIAL PARTS LIST FOR **MODEL** 4.5PM-53BP **SPEC** 17251C  
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2566	1	Stator, Wound			
201-2024	1	Rotor, Wound			
211-0266	1	Bell Assembly, Generator End			
403-1259	1	Frame, Carrying			
323-0954	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR MODEL 5.5PH-3P SPEC 17251C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column F  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Sidericoudis					
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1259	1	Frame, Carrying			
323-0954	1	Box Assembly, Receptacle			
331-0053	4	Locknut - Exhaust (1")			
505-0004	1	Nipple, Close - Exhaust (1" X 1-1/2")			
505-0086	1	Nipple, Exhaust (1" X 2-1/2")			
505-0041	1	Elbow, Pipe - Exhaust (1" X 90°)			

WIRING DIAGRAM NO. (AC) 601-0209

**Cummins** **Power Generation** Sept. 1, 1979

**WIRING DIAGRAM NO.** (AC) 601-0209

Redistribution or publication of this document  
by any means, is strictly prohibited. 1

SPECIAL PARTS LIST FOR **MODEL** 1.7PC-1P **SPEC** 17288E  
FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column F  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2473	1	Stator, Wound			
201-2021	1	Rotor, Wound			
323-0970	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR **MODEL** 2.0PE-1P **SPEC** 17748C  
FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column C  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2473	1	Stator, Wound			
201-2021	1	Rotor, Wound			
323-0923	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR MODEL 3.0PF-3P SPEC 17748C  
FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column D  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Stow					
220-2474	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
323-0924	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR **MODEL** 1.7PC-1P **SPEC** 17748E  
FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column B  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2473	1	Stator, Wound			
201-2021	1	Rotor, Wound			
323-0923	1	Box Assembly, Receptacle			



SPECIAL PARTS LIST FOR MODEL 4.5PK-3P SPEC 17749C  
FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column G  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2475	1	Stator, Wound			
201-2023	1	Rotor, Wound			
520-0808	1	Stud, Rotor Through (5/16 X 6-5/16")			
403-1259	1	Frame, Carrying			
329-0924	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR MODEL 5.5PH-3P SPEC 17749C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column F  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1259	1	Frame, Carrying			
323-0924	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR MODEL 3.0PF-3P SPEC 17796C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column D  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Milwaukee Tool					
220-2474	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
502-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
403-1040	1	Frame, Carrying			
301-4365	1	Box, Receptacle			
234-0558	1	Panel, Louver - End Bell			
508-0195	1	Bushing, Receptacle Box			
323-1066	1	Panel Assembly, Receptacle (Includes Parts Marked *)			
301-4356	1	*Panel, Receptacle			
323-1072	1	*Receptacle, Output - Twistlock (20 Amp, 250 Volt, 3 Wire)			
323-1071	1	*Receptacle, Output - Twistlock (30 Amp, 125 Volt, 3 Wire)			
323-0383	1	*Receptacle, Output - Duplex (15 Amp, 125 Volt)			
308-0411	1	*Switch, Toggle - Receptacle Panel			
320-0541	2	*Breaker, Circuit (20 Ampere)			
320-0540	1	*Breaker, Circuit (15 Ampere)			
320-0543	1	*Breaker, Circuit (30 Ampere)			
332-1815	1	*Strip, Terminal			
323-0869	1	*Strap, Ground - Receptacle			

SPECIAL PARTS LIST FOR MODEL 4.0PK-3P SPEC 17796C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column G  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Milwaukee Tool					
220-2475	1	Stator, Wound			
201-2023	1	Rotor, Wound			
520-0808	1	Stud, Rotor Through (5/16 X 6- 5/16")			
100-1517	1	Engine, 10 Horsepower (Briggs & Stratton Model 251412 Spec 0214-01, For Component Parts Refer To Manufacturer)			
403-1041	1	Frame, Carrying			
301-4365	1	Box, Receptacle			
234-0558	1	Panel, Louver - End Bell			
508-0195	1	Bushing, Receptacle Box			
323-1066	1	Panel Assembly, Receptacle (Includes Parts Marked *)			
301-4356	1	*Panel, Receptacle			
323-1072	1	*Receptacle, Output - Twistlock (20 Amp, 250 Volt, 3 Wire)			
323-1071	1	*Receptacle, Output - Twistlock (30 Amp, 125 Volt, 3 Wire)			
323-0383	1	*Receptacle, Output - Duplex (15 Amp, 125 Volt)			
308-0411	1	*Switch, Toggle - Receptacle Panel			
320-0541	2	*Breaker, Circuit (20 Ampere)			
320-0540	1	*Breaker, Circuit (15 Ampere)			
320-0543	1	*Breaker, Circuit (30 Ampere)			
332-1815	1	*Strip, Terminal			
323-0869	1	*Strap, Ground - Receptacle			
517-0133	4	*Plug-Receptacle Panel (1/2")			
331-0053	2	Locknut - Exhaust (1")			
505-0088	1	Nipple, Pipe - Exhaust (1 X 4-1/2")			
155-1564	1	Muffler, Exhaust			

SPECIAL PARTS LIST FOR MODEL 5.0PH-3P SPEC 17829C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column F  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Milwaukee Tool					
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1041	1	Frame, Carrying			
301-4365	1	Box, Receptacle			
234-0558	1	Panel, Louver - End Bell			
508-0195	1	Bushing, Receptacle Box			
323-1066	1	Panel Assembly, Receptacle (Includes Parts Marked *)			
301-4356	1	*Panel, Receptacle			
323-1072	1	*Receptacle, Output - Twistlock (20 Amp, 250 Volt, 3 Wire)			
323-1071	1	*Receptacle, Output - Twistlock (30 Amp, 125 Volt, 3 Wire)			
323-0383	1	*Receptacle, Output - Duplex (15 Amp, 125 Volt)			
308-0411	1	*Switch, Toggle - Receptacle Panel			
320-0541	2	*Breaker, Circuit (20 Ampere)			
320-0540	1	*Breaker, Circuit (15 Ampere)			
320-0543	1	*Breaker, Circuit (30 Ampere)			
332-1815	1	*Strip, Terminal			
323-0869	1	*Strap, Ground - Receptacle			
517-0133	4	*Plug, Hole (1/2")			

SPECIAL PARTS LIST FOR MODEL 5.0PM-3P SPEC 17829C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Milwaukee Tool					
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
211-0266	1	Bell Assembly, Generator End			
403-1041	1	Frame, Carrying			
301-4365	1	Box, Receptacle			
234-0558	1	Panel, Louver - End Bell			
508-0195	1	Bushing, Receptacle Box			
323-1066	1	Panel Assembly, Receptacle (Includes Parts Marked *)			
301-4356	1	*Panel, Receptacle			
323-1072	1	*Receptacle, Output - Twistlock (20 Amp, 250 Volt, 3 Wire)			
323-1071	1	*Receptacle, Output - Twistlock (30 Amp, 125 Volt, 3 Wire)			
323-0383	1	*Receptacle, Output - Duplex (15 Amp, 125 Volt)			
308-0411	1	*Switch, Toggle - Receptacle Panel			
320-0541	2	*Breaker, Circuit (20 Ampere)			
320-0540	1	*Breaker, Circuit (15 Ampere)			
320-0543	1	*Breaker, Circuit (30 Ampere)			
332-1815	1	*Strip, Terminal			
323-0869	1	*Strap, Ground - Receptacle			
517-0133	4	*Plug, Receptacle Panel (1/2")			
331-0053	2	Locknut - Exhaust (1")			
505-0147	1	Nipple, Pipe - Exhaust (1" X 2")			
155-1564	1	Muffler, Exhaust			

SPECIAL PARTS LIST FOR **MODEL** 6.5PM-3P **SPEC** 17829C  
**FOR STANDARD PARTS REFER TO CATALOG** 919-0305 **KEY NO.** Column F  
**(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)**

**WIRING DIAGRAM NO.** (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Milwaukee Tool					
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1041	1	Frame, Carrying			
211-0266	1	Bell Assembly, Generator End			
301-4365	1	Box, Receptacle			
234-0558	1	Panel, Louver - End Bell			
508-0195	1	Bushing, Receptacle Box			
323-1066	1	Panel Assembly, Receptacle (Includes Parts Marked *)			
301-4356	1	*Panel, Receptacle			
323-1072	1	*Receptacle, Output - Twistlock (20 Amp, 250 Volt, 3 Wire)			
323-1071	1	*Receptacle, Output - Twistlock (30 Amp, 125 Volt, 3 Wire)			
323-0383	1	*Receptacle, Output - Duplex (15 Amp, 125 Volt)			
308-0411	1	*Switch, Toggle - Receptacle Panel			
320-0541	2	*Breaker, Circuit (20 Ampere)			
320-0540	1	*Breaker, Circuit (15 Ampere)			
320-0543	1	*Breaker, Circuit (30 Ampere)			
332-1815	1	*Strip, Terminal			
323-0869	1	*Strap, Ground - Receptacle			
517-0133	4	*Plug, Receptacle Panel (1/2")			
331-0053	2	Locknut - Exhaust (1")			
505-0087	1	Nipple, Pipe - Exhaust (1" X 3")			
505-1564	1	Muffler, Exhaust			

SPECIAL PARTS LIST FOR **MODEL** 1.6PE-53CP **SPEC** 18084C  
FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column C  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2571	1	Stator, Wound			
201-2021	1	Rotor, Wound			
301-4602	1	Cover, End Bell (Blank)			
179-1552	1	Arrester, Spark - Exhaust			



SPECIAL PARTS LIST FOR MODEL 2.2PE-1P SPEC 18084C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column C  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Stow Manufacturing					
220-2473	1	Stator, Wound			
201-2021	1	Rotor, Wound			
323-1074	1	Box Assembly, Receptacle (Includes Parts Marked *)			
301-3916	1	*Box, Receptacle			
320-0540	2	*Breaker, Circuit (15 Ampere)			
323-0383	2	*Receptacle, Output (Duplex)			
323-0869	2	*Strap, Ground - Receptacle			
179-1552	1	Arrester, Spark - Exhaust			

SPECIAL PARTS LIST FOR **MODEL** 3.5PF-3P **SPEC** 18085C  
**FOR STANDARD PARTS REFER TO CATALOG** 919-0305 **KEY NO.** Column D  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Stow Manufacturing					
220-2474	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
403-1369	1	Hinge, Carrying Handle			
403-1370	1	Hinge, Carrying Handle			
403-1173	1	Handle, Carrying			
402-0425	4	Dampener, Vibration			
301-4407	1	Frame, Control			
301-4405	1	Panel, Control			
301-4406	1	Cover, Control			
508-0051	1	Grommet, (2" Hole)			
323-1073	1	Panel Assembly, Receptacle (Includes Parts Marked *)			
301-4439	1	*Panel, Receptacle			
323-1072	1	*Receptacle, Output - Twistlock (20 Amp, 250 Volt, 3 Wire)			
323-1071	1	*Receptacle, Output - Twistlock (30 Amp, 125 Volt, 3 Wire)			
323-0383	1	*Receptacle, Output - Duplex (15 Amp, 125 Volt)			
308-0422	1	*Switch, Toggle - Receptacle Panel			
320-0541	2	*Breaker, Circuit (20 Ampere)			
320-0540	2	*Breaker, Circuit (15 Ampere)			
320-0543	1	*Breaker, Circuit (30 Ampere)			
323-0869	1	*Strap, Ground - Receptacle			
517-0133	4	Plug - Receptacle Panel (1/2" Hole)			
179-1552	1	Arrester, Spark - Exhaust			

SPECIAL PARTS LIST FOR MODEL 4.5PK-3P SPEC 18086C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column G  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Stow					
220-2475	1	Stator, Wound			
201-2023	1	Rotor, Wound			
520-0808	1	Stud, Rotor Through (5/16 X 6- 5/16")			
403-1259	1	Frame, Carrying			
100-1617	1	Engine, 10 Horsepower (Briggs & Stratton Model 220432 Spec 0131-01, For Component Parts Refer To Manufacturer)			
301-4407	1	Frame, Control			
301-4405	1	Panel, Control			
301-4406	1	Cover, Control			
301-4601	1	Panel, Receptacle - Blank			
508-0051	1	Grommet, (2" Hole)			
232-2636	1	Bracket & Terminal Assembly, Control			
323-1073	1	Panel Assembly, Receptacle (Includes Parts Marked *)			
301-4439	1	*Panel, Receptacle			
323-1072	1	*Receptacle, Output - Twistlock (20 Amp, 250 Volt, 3 Wire)			
323-1071	1	*Receptacle, Output - Twistlock (30 Amp, 125 Volt, 3 Wire)			
323-0383	1	*Receptacle, Output - Duplex (15 Amp, 125 Volt)			
308-0422	1	*Switch, Toggle - Receptacle Panel			
320-0541	2	*Breaker, Circuit (20 Ampere)			
320-0540	2	*Breaker, Circuit (15 Ampere)			
320-0543	1	*Breaker, Circuit (30 Ampere)			
323-0869	1	*Strap, Ground - Receptacle			
517-0133	4	*Plug - Receptacle Panel (1/2" Hole)			
155-1564	1	Muffler, Exhaust			
155-1537	1	Arrester, Spark - Exhaust			
155-1538	1	Deflector, Muffler			
155-1539	4	Screw, Muffler (Special)			
505-0004	1	Nipple, Pipe - Exhaust (1" X 1-1/2")			
331-0053	5	Locknut - Exhaust (1")			
505-0333	1	Elbow, Street - Exhaust (1" X 45°)			
505-0107	1	Nipple, Pipe - Exhaust (1" X 2")			
505-0124	1	Elbow, Pipe - Exhaust (1" X 45°)			

SPECIAL PARTS LIST FOR MODEL 4.5RN-3P SPEC 18086C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column G  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Stow Manufacturing					
220-2475	1	Stator, Wound			
201-2023	1	Rotor, Wound			
100-1681	1	Engine, 11 Horsepower (Briggs & Stratton Model 251412 For Component Parts Refer To Manufacturer)			
520-0808	1	Stud, Rotor Through (5/16 X 6- 5/16")			
211-0266	1	Bell Assembly, Generator End			
403-1259	1	Frame, Carrying			
301-4407	1	Frame, Control			
301-4405	1	Panel, Control			
301-4406	1	Cover, Control			
301-4601	1	Panel, Receptacle - Blank			
508-0051	1	Grommet, (2" Hole)			
232-2636	1	Bracket & Terminal Assembly, Control			
323-1073	1	Panel Assembly, Receptacle (Includes Parts Marked *)			
301-4439	1	*Panel, Receptacle			
323-1072	1	*Receptacle, Output - Twistlock (20 Amp, 250 Volt, 3 Wire)			
323-1071	1	*Receptacle, Output - Twistlock (30 Amp, 125 Volt, 3 Wire)			
323-0383	1	*Receptacle, Output - Duplex (15 Amp, 125 Volt)			
308-0422	1	*Switch, Toggle - Receptacle Panel			
320-0541	2	*Breaker, Circuit (20 Ampere)			
320-0540	2	*Breaker, Circuit (15 Ampere)			
320-0543	1	*Breaker, Circuit (30 Ampere)			
323-0869	1	*Strap, Ground - Receptacle			
517-0133	4	*Plug - Receptacle Panel (1/2" Hole)			
155-1564	1	Muffler, Exhaust			
155-1537	1	Arrester, Spark - Exhaust			
155-1538	1	Deflector, Muffler			
155-1539	4	Screw, Muffler (Special)			
505-0004	1	Nipple, Pipe - Exhaust (1" X 1-1/2")			
331-0053	5	Locknut - Exhaust (1")			
505-0333	1	Elbow, Street - Exhaust (1" X 45°)			
505-0107	1	Nipple, Pipe - Exhaust (1" X 2")			
505-0124	1	Elbow, Pipe - Exhaust (1" X 45°)			

SPECIAL PARTS LIST FOR MODEL 6.0PH-3P SPEC 18087C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column F  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Stow					
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
100-1516	1	Engine, 13 Horsepower (Briggs & Stratton Model 302432 Spec 0142-01, For Component Parts Refer To Manufacturer)			
403-1311	1	Frame, Carrying			
301-4407	1	Frame, Control			
301-4405	1	Panel, Control			
301-4406	1	Cover, Control			
301-4601	1	Panel, Receptacle - Blank			
508-0051	1	Grommet, (2" Hole)			
232-2636	1	Bracket & Terminal Assembly, Control			
331-0053	4	Locknut - Exhaust (1")			
505-0004	1	Nipple, Close - Exhaust (1" X 1-1/2")			
505-0086	1	Nipple, Exhaust (1" X 2-1/2")			
505-0041	1	Elbow, Pipe - Exhaust (1" X 90°)			
155-1564	1	Muffler, Exhaust			
155-1537	1	Arrester, Spark - Exhaust			
155-1538	1	Deflector, Muffler			
155-1539	4	Screw, Muffler (Special)			
323-1073	1	Panel Assembly, Receptacle (Includes Parts Marked *)			
301-4439	1	*Panel, Receptacle			
323-1072	1	*Receptacle, Output - Twistlock (20 Amp, 250 Volt, 3 Wire)			
323-1071	1	*Receptacle, Output - Twistlock (30 Amp, 125 Volt, 3 Wire)			
323-0383	1	*Receptacle, Output - Duplex (15 Amp, 125 Volt)			
308-0422	1	*Switch, Toggle - Receptacle Panel			
320-0541	2	*Breaker, Circuit (20 Ampere)			
320-0540	2	*Breaker, Circuit (15 Ampere)			
320-0543	1	*Breaker, Circuit (30 Ampere)			
323-0869	1	*Strap, Ground - Receptacle			
517-0133	4	*Plug - Receptacle Panel (1/2" Hole)			

SPECIAL PARTS LIST FOR MODEL 6.0PM-3P SPEC 18087C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
211-0266	1	Bell Assembly, Generator End			
403-1311	1	Frame, Carrying			
301-4407	1	Frame, Control			
301-4405	1	Panel, Control			
301-4406	1	Cover, Control			
301-4601	1	Panel, Receptacle - Blank			
508-0051	1	Grommet, (2" Hole)			
232-2636	1	Bracket & Terminal Assembly, Control			
323-1073	1	Panel Assembly, Receptacle (Includes Parts Marked *)			
301-4439	1	*Panel, Receptacle			
323-1072	1	*Receptacle, Output - Twistlock (20 Amp, 250 Volt, 3 Wire)			
323-1071	1	*Receptacle, Output - Twistlock (30 Amp, 125 Volt, 3 Wire)			
323-0383	1	*Receptacle, Output - Duplex (15 Amp, 125 Volt)			
308-0422	1	*Switch, Toggle - Receptacle Panel			
320-0541	2	*Breaker, Circuit (20 Ampere)			
320-0540	2	*Breaker, Circuit (15 Ampere)			
320-0543	1	*Breaker, Circuit (30 Ampere)			
323-0869	1	*Strap, Ground - Receptacle			
517-0133	4	*Plug - Receptacle Panel (1/2" Hole)			
331-0053	4	Locknut - Exhaust (1")			
505-0004	1	Nipple, Close - Exhaust (1" X 1-1/2")			
505-0086	1	Nipple, Exhaust (1" X 2-1/2")			
505-0041	1	Elbow, Pipe - Exhaust (1" X 90°)			
155-1564	1	Muffler, Exhaust			
155-1537	1	Arrester, Spark - Exhaust			
155-1538	1	Deflector, Muffler			
155-1539	4	Screw, Muffler (Special)			

SPECIAL PARTS LIST FOR MODEL 3.0PF-3P SPEC 18180F  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column D  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Constructor's Set					
220-2474	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
323-0944	1	Box Assembly, Receptacle			
323-0952	1	Plug - Twistlock Receptacle			

SPECIAL PARTS LIST FOR MODEL 4.5PK-3P SPEC 18180F  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column G  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Constructor's Set					
220-2475	1	Stator, Wound			
201-2023	1	Rotor, Wound			
520-0808	1	Stud, Rotor Through (5/16 X 6-5/16")			
100-1517	1	Engine, 10 Horsepower (Briggs & Stratton Model 251412 Spec 0214-01, For Component Parts Refer To Manufacturer)			
403-1259	1	Frame, Carrying			
323-0944	1	Box Assembly, Receptacle			
323-0952	1	Plug, Twistlock - Receptacle			
331-0053	5	Locknut - Exhaust (1")			
505-0333	1	Elbow, Street - Exhaust (1 X 45°)			
505-0107	1	Nipple, Pipe - Exhaust (1 X 2")			
155-1564	1	Muffler, Exhaust			
505-0004	1	Nipple, Pipe - Exhaust (1 X 1-1/2")			
505-0124	1	Elbow, Pipe - Exhaust (1 X 45°)			



SPECIAL PARTS LIST FOR **MODEL** 5.5PH-3P **SPEC** 18180F  
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column F  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Constructor's Set					
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1259	1	Frame, Carrying			
323-0944	1	Box Assembly, Receptacle			
331-0053	4	Locknut - Exhaust (1")			
505-0004	1	Nipple, Close - Exhaust (1" X 1-1/2")			
505-0086	1	Nipple, Exhaust (1" X 2-1/2")			
505-0041	1	Elbow, Pipe - Exhaust (1" X 90°)			
323-0952	1	Plug, Twistlock - Receptacle			

SPECIAL PARTS LIST FOR MODEL 3.0PF-3P SPEC 18444E  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO Column D  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Constructor's Set Idlematic Control					
220-2474	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16 X 4-13/16")			
323-0944	1	Box Assembly, Receptacle			
355-0062	1	Capacitor - Idlematic (.1 Mfd, 100 Volt)			
315-0414	1	Transformer- Idlematic			
307-1569	1	Bracket, Solenoid - Idlematic			
307-1570	1	Link, Solenoid To Carburetor- Idlematic			
323-0952	1	Plug - Twistlock Receptacle			
331-0127	1	Connector, Box (90°) - Idlematic Solenoid			
508-0185	1	Grommet, Rubber (5/16" Hole) - Connector Box			

SPECIAL PARTS LIST FOR MODEL 4.5PK-3P SPEC 18444F  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column G  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Constructor's Set Idlematic Control					
220-2475	1	Stator, Wound			
201-2023	1	Rotor, Wound			
520-0808	1	Stud, Rotor Through (5/16 X 6-5/16")			
100-1517	1	Engine, 10 Horsepower (Briggs & Stratton Model 251412 Spec 0214-01, For Component Parts Refer To Manufacturer)			
403-1259	1	Frame, Carrying			
323-0944	1	Box Assembly, Receptacle			
323-0952	1	Plug, Twistlock - Receptacle			
331-0053	5	Locknut - Exhaust (1")			
505-0333	1	Elbow, Street - Exhaust (1" X 45°)			
505-0107	1	Nipple, Pipe - Exhaust (1" X 2")			
155-1564	1	Muffler, Exhaust			
505-0004	1	Nipple, Pipe - Exhaust (1" X 1-1/2")			
505-0124	1	Elbow, Pipe - Exhaust (1" X 45°)			
355-0062	1	Capacitor - Idlematic (.1 Mfd, 100 Volt)			
315-0414	1	Transformer - Idlematic			
307-1547	1	Link, Solenoid To Carburetor - Idlematic			
331-0127	1	Connector, Box (90°) - Idlematic Solenoid			
508-0185	1	Grommet, Rubber (5/16" Hole) - Connector Box			
307-1548	1	Bracket, Solenoid - Idlematic			

SPECIAL PARTS LIST FOR MODEL 5.5PH-3P SPEC 18444F  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column F  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Constructor's Set Idlematic Control					
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1259	1	Frame, Carrying			
323-0944	1	Box Assembly, Receptacle			
331-0053	4	Locknut - Exhaust (1")			
505-0004	1	Nipple, Close - Exhaust (1" X 1-1/2")			
505-0086	1	Nipple, Exhaust (1" X 2-1/2")			
505-0041	1	Elbow, Pipe - Exhaust (1" X 90°)			
323-0952	1	Plug, Twistlock - Receptacle			
355-0062	1	Capacitor - Idlematic (.1 Mfd, 100 Volt)			
315-0414	1	Transformer, Idlematic			
307-1586	1	Bracket, Solenoid - Idlematic			
307-1587	1	Link, Solenoid To Carburetor - Idlematic			
331-0127	1	Connector, Box (90°) - Idlematic Solenoid			
508-0185	1	Grommet, Rubber (5/16" Hole) - Connector Box			

SPECIAL PARTS LIST FOR MODEL 5.5PM-3P SPEC 18444F  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column F  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Constructor's Set Idlematic Control					
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
211-0266	1	Bell Assembly, Generator End			
403-1259	1	Frame, Carrying			
323-0944	1	Box Assembly, Receptacle			
323-0952	1	Plug, Twistlock - Receptacle			
355-0062	1	Capacitor - Idlematic (.1 Mfd, 100 Volt)			
315-0414	1	Transformer - Idlematic			
307-1587	1	Link, Solenoid To Carburetor - Idlematic			
331-0127	1	Connector, Box (90°) - Idlematic Solenoid			
508-0185	1	Grommet, Rubber (5/16" Hole) - Connector Box			
307-1586	1	Bracket, Solenoid - Idlematic			

SPECIAL PARTS LIST FOR MODEL 2.5PF-53CP SPEC 18713C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column D  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2572	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
301-4407	1	Frame, Control			
301-4405	1	Panel, Control			
301-4406	1	Cover, Control			
301-4601	1	Panel, Receptacle - Blank			
179-1552	1	Arrester, Spark - Exhaust			
508-0051	1	Grommet, (2" Hole)			
232-2636	1	Bracket & Terminal Assembly, Control			

SPECIAL PARTS LIST FOR MODEL 4.5PH-53CP SPEC 18714C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column F  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2574	1	Stator, Wound			
201-2024	1	Rotor, Wound			
100-1516	1	Engine, 13 Horsepower (Briggs & Stratton Model 302432 Spec 0142-01, For Component Parts Refer To Manufacturer)			
403-1311	1	Frame, Carrying			
301-4407	1	Frame, Control			
301-4405	1	Panel, Control			
301-4406	1	Cover, Control			
301-4601	1	Panel, Receptacle - Blank			
508-0051	1	Grommet, (2" Hole)			
232-2636	1	Bracket & Terminal Assembly, Control			
331-0053	4	Locknut - Exhaust (1")			
505-0004	1	Nipple, Close - Exhaust (1" X 1-1/2")			
505-0086	1	Nipple, Exhaust (1" X 2-1/2")			
505-0041	1	Elbow, Pipe - Exhaust (1" X 90°)			
155-1564	1	Muffler, Exhaust			
155-1537	1	Arrester, Spark - Exhaust			
155-1538	1	Deflector, Muffler			
155-1539	4	Screw, Muffler (Special)			

SPECIAL PARTS LIST FOR MODEL 3.7PK-53CP SPEC 18716C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO Column G  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2573	1	Stator, Wound			
201-2023	1	Rotor, Wound			
520-0808	1	Stud, Rotor Through (5/16 X 6-5/16")			
100-1517	1	Engine, 10 Horsepower (Briggs & Stratton Model 251412 Spec 0214-01, For Component Parts Refer To Manufacturer)			
403-1259	1	Frame, Carrying			
301-4407	1	Frame, Control			
301-4405	1	Panel, Control			
301-4406	1	Cover, Control			
301-4601	1	Panel, Receptacle - Blank			
508-0051	1	Grommet, (2" Hole)			
232-2636	1	Bracket & Terminal Assembly, Control			
155-1564	1	Muffler, Exhaust			
155-1537	1	Arrester, Spark - Exhaust			
155-1538	1	Deflector, Muffler			
155-1539	4	Screw, Muffler (Special)			
505-0004	1	Nipple, Pipe - Exhaust (1" X 1-1/2")			
331-0053	5	Locknut - Exhaust (1")			
505-0333	1	Elbow, Street - Exhaust (1" X 45°)			
505-0107	1	Nipple, Pipe - Exhaust (1" X 2")			
505-0124	1	Elbow, Pipe - Exhaust (1" X 45°)			



SPECIAL PARTS LIST FOR MODEL 1.2PC-1P SPEC 19252F  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column B  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Montgomery Wards					
220-2954	1	Stator, Wound			
201-2020	1	Rotor, Wound			
520-0806	1	Stud, Rotor Through (5/16 X 4-13/16")			
800-0017	4	Screw, Cap-Hex Head, Stud Stator Through (1/4-20 X 3-1/2")			
323-1103	1	Box Assembly, Receptacle (Includes Parts Marked *)			
301-3916	1	*Box, Receptacle			
320-0540	2	*Breaker, Circuit			
323-0383	2	*Receptacle, Output			
323-0869	2	*Strap, Ground			
179-1552	1	Arrester, Spark - Exhaust			

SPECIAL PARTS LIST FOR **MODEL** 1.7PC-1P **SPEC** 19252F  
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column B  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Montgomery Wards					
220-2955	1	Stator, Wound			
201-2021	1	Rotor, Wound			
323-1103	1	Box Assembly, Receptacle (Includes Parts Marked *)			
301-3916	1	*Box, Receptacle			
320-0540	2	*Breaker, Circuit			
323-0383	2	*Receptacle, Output			
323-0869	2	*Strap, Ground			
179-1552	1	Arrester, Spark - Exhaust			

The following catalog  
has gaps in its page  
numbers, or doesn't  
have any numbers.  
We have chosen to  
leave the page  
numbering in the  
order that Acrobat  
assigns it.

SPECIAL PARTS LIST FOR MODEL 1.0PD-1P SPEC 1A  
FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column A  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0203

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-1949	1	Stator, Wound			
201-2020	1	Rotor, Wound			

SPECIAL PARTS LIST FOR MODEL 1.0PD-3P SPEC 1A  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column A  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC)601-0204

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-1949	1	Stator, Wound			
201-2020	1	Rotor, Wound			
211-0247	1	Bell Assembly, Generator End			

SPECIAL PARTS LIST FOR MODEL 1.0PD-53BP SPEC 1A  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column A  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC)601-0207-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2093	1	Stator, Wound			
201-2020	1	Rotor, Wound			
211-0245	1	Bell Assembly, Generator End			
338-0767	1	Harness, Wiring - End Bell To Receptacle Box			
323-0876	2	Bracket, Receptacle Box Mounting			
301-3672	1	Bracket, Receptacle Mounting			
301-3743	1	Cover, Box			
301-3649	1	Box, Receptacle			
232-2433	1	Cover, End Bell			

Parts Not Furnished By Onan  
 Receptacles

SPECIAL PARTS LIST FOR MODEL 1.OPD-53CP SPEC 1A  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column A  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC)601-0207-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2323	1	Stator, Wound			
201-2020	1	Rotor, Wound			
211-0245	1	Bell Assembly, Generator End			
234-0533	1	Cover, Protective - End Bell			
815-0340	2	Screw, Machine - Hex Head, Cover Mounting (10-32 X 3/8")			
338-0767	1	Harness, Wiring - End Bell To Receptacle Box			
323-0876	2	Bracket, Receptacle Box Mounting			
301-3672	1	Bracket, Receptacle Mounting			
301-3743	1	Cover, Box			
301-3649	1	Box, Receptacle			
232-2433	1	Cover, End Bell			
Parts Not Furnished By Onan Receptacles					

SPECIAL PARTS LIST FOR MODEL 1.2PD-1P SPEC 1A  
FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column A  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0203

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-1949	1	Stator, Wound			
201-2020	1	Rotor, Wound			
234-0533	1	Cover, Protective - End Bell			
815-0340	2	Screw, Machine - Hex Head			
		Cover Mounting (10-32 x 3/8")			



SPECIAL PARTS LIST FOR MODEL 1.2PD-3P SPEC 1A  
FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column A  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
WIRING DIAGRAM NO. (AC) 601-0204

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-1949	1	Stator, Wound			
201-2020	1	Rotor, Wound			

SPECIAL PARTS LIST FOR MODEL 1.6PE-53BP SPEC 1A  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column C  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0207-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2094	1	Stator, Wound			
201-2021	1	Rotor, Wound			
211-0245	1	Bell Assembly, Generator End			
338-0767	1	Harness, Wiring - End Bell To Receptacle Box			
323-0876	2	Bracket, Receptacle Box Mounting			
301-3672	1	Bracket, Receptacle Mounting			
301-3743	1	Cover, Box			
301-3649	1	Box, Receptacle			
232-2433	1	Cover, End Bell			
Parts Not Furnished By Onan Receptacles					

SPECIAL PARTS LIST FOR **MODEL** 1.6PE-53CP **SPEC** 1A  
**FOR STANDARD PARTS REFER TO CATALOG** 919-0305 **KEY NO.** Column C  
**(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)**

**WIRING DIAGRAM NO.** (AC)601-0207-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2324	1	Stator, Wound			
201-2021	1	Rotor, Wound			
211-0245	1	Bell Assembly, Generator End			
234-0533	1	Cover, Protective - End Bell			
815-0340	2	Screw, Machine - Hex Head			
		Cover Mounting (10-32 X 3/8")			
338-0767	1	Harness, Wiring - End Bell To			
		Receptacle Box			
323-0876	1	Bracket, Receptacle Box			
		Mounting			
301-3672	1	Bracket, Receptacle Mounting			
301-3743	1	Cover, Box			
301-3649	1	Box, Receptacle			
232-2433	1	Cover, End Bell			

Parts Not Furnished By Onan  
 Receptacles

SPECIAL PARTS LIST FOR MODEL 2.0PE-1P SPEC 1A  
FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column C  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0203

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-1950	1	Stator, Wound			
201-2021	1	Rotor, Wound			
234-0533	1	Cover, Protective - End Bell			
815-0340	2	Screw, Machine - Hex Head			
		Cover Mounting (10-32 X 3/8")			

SPECIAL PARTS LIST FOR **MODEL** 2.0PE-3P **SPEC** 1A  
FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column C  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (AC) 601-0204

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-1950	1	Stator, Wound			
201-2021	1	Rotor, Wound			

SPECIAL PARTS LIST FOR **MODEL** 2.5PF-53AP **SPEC** 1A  
**FOR STANDARD PARTS REFER TO CATALOG** 919-0305 **KEY NO.** Column D  
**(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)**

**WIRING DIAGRAM NO.** (AC) 601-0207-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Remote Receptacle Box					
220-2394	1	Stator, Wound			
201-2022	1	Rotor, Wound			
234-0533	1	Cover, Protective - End Bell			
815-0340	2	Screw, Machine - Hex Head			
		Cover Mounting (10-32 X 3/8")			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through			
		(5/16" X 4-13/16")			
Parts Not Furnished By Onan					
Receptacles					

SPECIAL PARTS LIST FOR **MODEL** 2.5PF-53BP **SPEC** 1A  
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column D  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (AC)601-0207-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Remote Receptacle Box					
220-2095	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
Parts Not Furnished By Onan Receptacles					

SPECIAL PARTS LIST FOR MODEL 2.5PF-53CP SPEC 1A  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column D  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC)601-0207-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Remote Receptacle Box					
220-2325	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
234-0533	1	Cover, Protective - End Bell			
815-0340	2	Screw, Machine - Hex Head			
		Cover Mounting (10-32 X 3/8")			
520-0806	1	Stud, Rotor Through			
		(5/16" X 4-13/16")			



SPECIAL PARTS LIST FOR **MODEL** 3.0PF-3P **SPEC** 1A  
FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column D  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (AC) 601-0204

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-1951	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			

SPECIAL PARTS LIST FOR MODEL 3.5PF-3P SPEC 1A  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column D  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC)601-0204

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-1952	1	Stator, Wound			
201-2023	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			

SPECIAL PARTS LIST FOR MODEL 3.7PG-53BP SPEC 1A  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC) 601-0207

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Remote Receptacle Box					
220-2096	1	Stator, Wound			
201-2023	1	Rotor, Wound			
403-1041	1	Frame, Carrying			
337-0096	1	Strap, Ground			

SPECIAL PARTS LIST FOR MODEL 3.7PG-53CP SPEC 1A  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column F  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC) 601-0207

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Remote Receptacle Box					
220-2326	1	Stator, Wound			
201-2023	1	Rotor, Wound			
234-0533	1	Cover, Protective - End Bell			
815-0340	2	Screw, Machine - Hex Head			
		Cover Mounting (10-32 X 3/8")			
403-1041	1	Frame, Carrying			
337-0096	1	Strap, Ground			

SPECIAL PARTS LIST FOR MODEL 4.0PG-3P SPEC 1A  
FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0204

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-1952	1	Stator, Wound			
201-2023	1	Rotor, Wound			
403-1041	1	Frame, Carrying			
337-0096	1	Strap, Ground			

SPECIAL PARTS LIST FOR MODEL 4.5PG-3P SPEC 1A  
FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column E  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0204

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-1952	1	Stator, Wound			
201-2023	1	Rotor, Wound			
403-1041	1	Frame, Carrying			
337-0096	1	Strap, Ground			

SPECIAL PARTS LIST FOR **MODEL** 4.5PH-53AP **SPEC** 1A  
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO** Column F  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (AC) 601-0207-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Remote Receptacle Box					
220-2396	1	Stator, Wound			
201-2024	1	Rotor, Wound			
234-0533	1	Cover, Protective - End Bell			
815-0340	2	Screw, Machine - Hex Head			
		Cover Mounting (10-32 X 3/8")			
403-1259	1	Frame, Carrying			

SPECIAL PARTS LIST FOR MODEL 4.5PH-53BP SPEC 1A  
FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column F  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0207-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Remote Receptacle Box					
220-2097	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1259	1	Frame, Carrying			



SPECIAL PARTS LIST FOR MODEL 4.5PH-53CP SPEC 1A  
FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0207-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Remote Receptacle Box					
220-2327	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1259	1	Frame, Carrying			
234-0533	1	Cover, Protective - End Bell			
815-0340	2	Screw, Machine - Hex Head			
		Cover Mounting (10-32 X 3/8")			

SPECIAL PARTS LIST FOR **MODEL** 4.5PH-57P **SPEC** 1A  
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column F  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (AC) 620-0168

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Remote Receptacle Box					
220-2116	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1259	1	Frame, Carrying			
338-0932	1	Harness, Wiring - End Bell To Receptacle Box (Includes Parts Marked *)			
332-0325	1	*Terminal, Ring			
332-0941	1	*Tie, Cable (7-1/4")			
332-1497	1	*Terminal, Faston			
508-0071	1	*Grommet, Rubber			

SPECIAL PARTS LIST FOR **MODEL** 5 OPH-3P **SPEC** 1A  
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (AC) 601-0204

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-1953	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1041	1	Frame, Carrying			
337-0096	1	Strap, Ground			

SPECIAL PARTS LIST FOR MODEL 5.5PH-3P SPEC 1A  
FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column F  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0204

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-1953	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1259	1	Frame, Carrying			

SPECIAL PARTS LIST FOR MODEL 6.0PH-3P SPEC 1A  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column F  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC) 601-0204

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-1953	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1041	1	Frame, Carrying			
337-0096	1	Strap, Ground			

SPECIAL PARTS LIST FOR MODEL 3.7PG-53AP SPEC 1B  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column E  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0207-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Remote Receptacle Box					
220-2395	1	Stator, Wound			
201-2023	1	Rotor, Wound			
234-0533	1	Cover, Protective - End Bell			
815-0340	2	Screw, Machine - Hex Head			
		Cover Mounting (10-32 X 3/8")			
403-1259	1	Frame, Carrying			

SPECIAL PARTS LIST FOR MODEL 3.7PG-53BP SPEC 1B  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0207-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Remote Receptacle Box					
220-2096	1	Stator, Wound			
201-2023	1	Rotor, Wound			
403-1259	1	Frame, Carrying			

SPECIAL PARTS LIST FOR **MODEL** 3.7PG-53CP **SPEC** 1B  
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column E  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (AC) 601-0207-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Remote Receptacle Box					
220-2326	1	Stator, Wound			
201-2023	1	Rotor, Wound			
234-0533	1	Cover, Protective - End Bell			
815-0340	2	Screw, Machine - Hex Head			
		Cover Mounting (10-32 X 3/8")			
403-1259	1	Frame, Carrying			



SPECIAL PARTS LIST FOR MODEL 4.5PG-3P SPEC 1B  
FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column E  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0204

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-1952	1	Stator, Wound			
201-2023	1	Rotor, Wound			
403-1259	1	Frame, Carrying			

SPECIAL PARTS LIST FOR MODEL 1.2PD-1P SPEC 1C  
FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column 4  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2472	1	Stator, Wound			
201-2020	1	Rotor, Wound			
323-0969	1	Box Assembly, Receptacle			

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Sawary					
220-2563	1	Stator, Wound			
201-2021	1	Rotor, Wound			
Parts Not Furnished By Onan Receptacles					



**SPECIAL PARTS LIST FOR MODEL** 2.0PE-1P **SPEC** 1C  
**FOR STANDARD PARTS REFER TO CATALOG** 919-0305 **KEY NO.** Column C  
**(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)**  
**WIRING DIAGRAM NO.** (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2473	1	Stator, Wound			
201-2021	1	Rotor, Wound			
323-0969	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR MODEL 2.5PF-53BP SPEC 1C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column I  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Remote Receptacle Box					
220-2564	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
Parts Not Furnished By Onan Receptacles					

SPECIAL PARTS LIST FOR MODEL 2.5PF-53CP SPEC 1C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column E  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Remote Receptacle Box					
220-2572	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			

SPECIAL PARTS LIST FOR MODEL 3.0PF-3P SPEC 1C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column D  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2474	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
323-0967	1	Box Assembly, Receptacle			



SPECIAL PARTS LIST FOR **MODEL** 3.7PG-53BP **SPEC** 1C  
FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column E  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2565	1	Stator, Wound			
201-2023	1	Rotor, Wound			
403-1259	1	Frame, Carrying			
301-4077	1	Panel, Receptacle (Blank)			

SPECIAL PARTS LIST FOR **MODEL** 3.7PG-53CP **SPEC** 1C  
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column I  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2573	1	Stator, Wound			
201-2023	1	Rotor, Wound			
403-1259	1	Frame, Carrying			
301-4077	1	Panel, Receptacle (Blank)			

SPECIAL PARTS LIST FOR MODEL 3.7PK-53BP SPEC 1C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
*Side Mounted Receptacle Box - Left					
220-2565	1	Stator, Wound			
201-2023	1	Rotor, Wound			
520-0808	1	Stud, Rotor Through (5/16 X 6-5/16")			
100-1517	1	Engine, 10 Horsepower (Briggs & Stratton Model 251412 Spec 0214-01, For Component Parts Refer To Manufacturer)			
403-1259	1	Frame, Carrying			
331-0053	5	Locknut - Exhaust (1")			
505-0333	1	Elbow, Street - Exhaust (1 X 45°)			
505-0107	1	Nipple, Pipe - Exhaust (1 X 2")			
155-1564	1	Muffler, Exhaust			
505-0004	1	Nipple, Pipe - Exhaust (1 X 1-1/2")			
505-0124	1	Elbow, Pipe - Exhaust (1 X 45°)			
* - For Component Parts Refer To Column D					

SPECIAL PARTS LIST FOR MODEL 3.7PK-53CP SPEC 1C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column G  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
*Side Mounted Receptacle Box - Left					
220-2573	1	Stator, Wound			
201-2023	1	Rotor, Wound			
520-0808	1	Stud, Rotor Through (5/16 X 6-5/16")			
100-1517	1	Engine, 10 Horsepower (Briggs & Stratton Model 251412 Spec 0214-01, For Component Parts Refer To Manufacturer)			
403-1259	1	Frame, Carrying			
331-0053	5	Locknut - Exhaust (1")			
505-0333	1	Elbow, Street - Exhaust (1 X 45°)			
505-0107	1	Nipple, Pipe - Exhaust (1 X 2")			
155-1564	1	Muffler, Exhaust			
505-0004	1	Nipple, Pipe - Exhaust (1 X 1-1/2")			
505-0124	1	Elbow, Pipe - Exhaust (1 X 45°)			
* - For Component Parts Refer To Column D					

SPECIAL PARTS LIST FOR MODEL 3.7PN-53BP SPEC 1C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO Column G  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW.)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
*Side Mounted Receptacle Box - Left					
220-2565	1	Stator, Wound			
201-2023	1	Rotor, Wound			
100-1681	1	Engine, 11 Horsepower (Briggs & Stratton Model 251412 For Component Parts Refer To Manufacturer)			
520-0808	1	Stud, Rotor Through (5/16 X 6- 5/16")			
211-0266	1	Bell Assembly, Generator End			
403-1259	1	Frame, Carrying			
331-0053	5	Locknut - Exhaust (1")			
505-0333	1	Elbow, Street - Exhaust (1 X 45°)			
505-0107	1	Nipple, Pipe - Exhaust (1 X 2")			
155-1564	1	Muffler, Exhaust			
505-0004	1	Nipple, Pipe - Exhaust (1 X 1-1/2")			
505-0124	1	Elbow, Pipe - Exhaust (1 X 45°)			
* - For Component Parts Refer To Column D					

SPECIAL PARTS LIST FOR MODEL 3.7PN-53CP SPEC 1C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO Column G  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
*Side Mounted Receptacle Box - Left					
220-2573	1	Stator, Wound			
201-2023	1	Rotor, Wound			
100-1681	1	Engine, 11 Horsepower (Briggs & Stratton Model 251412 For Component Parts Refer To Manufacturer)			
502-0808	1	Stud, Rotor Through (5/16 X 6- 5/16")			
211-0266	1	Bell Assembly, Generator End			
403-1259	1	Frame, Carrying			
331-0053	5	Locknut - Exhaust (1")			
505-0333	1	Elbow, Street - Exhaust (1 X 45°)			
505-0107	1	Nipple, Pipe - Exhaust (1 X 2")			
155-1564	1	Muffler, Exhaust			
505-0004	1	Nipple, Pipe - Exhaust (1 X 1-1/2")			
505-0124	1	Elbow, Pipe - Exhaust (1 X 45°)			
* - For Component Parts Refer To Column D					

SPECIAL PARTS LIST FOR MODEL 4.5PG-3P SPEC 1C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column E  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2475	1	Stator, Wound			
201-2023	1	Rotor, Wound			
403-1259	1	Frame, Carrying			
323-0924	1	Box Assembly, Receptacle			
155-1564	1	Muffler, Exhaust			
331-0053	4	Locknut - Exhaust (1")			
505-0004	1	Nipple, Close - Exhaust (1" X 1-1/2")			
505-0086	1	Nipple, Exhaust (1" X 2-1/2")			
505-0041	1	Elbow, Pipe - Exhaust (1" X 90°)			

SPECIAL PARTS LIST FOR MODEL 4.5PH-53BP SPEC 1C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column F  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2566	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1259	1	Frame, Carrying			
301-4077	1	Cover, Receptacle Box (Blank)			
331-0053	4	Locknut - Exhaust (1")			
505-0004	1	Nipple, Close - Exhaust (1" X 1-1/2")			
505-0086	1	Nipple, Exhaust (1" X 2-1/2")			
505-0041	1	Elbow, Pipe - Exhaust (1" X 90°)			



SPECIAL PARTS LIST FOR MODEL 4.5PH-53CP SPEC 1C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO Column F  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2574	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1259	1	Frame, Carrying			
301-4077	1	Cover, Receptacle Box (Blank)			
331-0053	4	Locknut - Exhaust (1")			
505-0004	1	Nipple, Close - Exhaust (1" X 1-1/2")			
505-0086	1	Nipple, Exhaust (1" X 2-1/2")			
505-0041	1	Elbow, Pipe - Exhaust (1" X 90°)			

SPECIAL PARTS LIST FOR **MODEL** 4.5PM-53BP **SPEC** 1C  
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column I  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Side Mounted Receptacle Box					
220-2566	1	Stator, Wound			
201-2024	1	Rotor, Wound			
211-0266	1	Bell Assembly, Generator End			
403-1259	1	Frame, Carrying			
301-4077	1	Panel, Receptacle (Blank)			

SPECIAL PARTS LIST FOR MODEL 4.5PM-53CP SPEC 1C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column F  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Side Mounted Receptacle Box					
220-2574	1	Stator, Wound			
201-2024	1	Rotor, Wound			
211-0266	1	Bell Assembly, Generator End			
403-1259	1	Frame, Carrying			
301-4077	1	Panel, Receptacle (Blank)			

SPECIAL PARTS LIST FOR MODEL 4.5PM-57P SPEC 1C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2582	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1259	1	Frame, Carrying			
211-0272	1	Bell Assembly, Generator End (Includes Parts Marked *)			
211-0238	1	*Bell Only, End			
516-0182	4	*Pin, Locating - End Bell			
510-0107	1	*Bearing, Roller			
356-0056	1	*Capacitor			
312-0194	1	*Bracket, Capacitor Mounting			
305-0548	1	*Rectifier, Bridge			
212-1249	1	*Guide, Brush			
214-0099	2	*Brush, Alternator			
332-1564	1	*Terminal Tab			
232-2697	1	*Bracket And Terminal Assembly			
232-2620	1	*Bracket, Terminal Mounting			
332-1862	1	*Block, Terminal (4 Place)			
332-1863	1	*Strip, Marker			
301-3806	1	Panel, Receptacle (Blank)			

SPECIAL PARTS LIST FOR MODEL 5.5PH-3P SPEC 1C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column F  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1259	1	Frame, Carrying			
323-0924	1	Box Assembly, Receptacle			
331-0053	4	Locknut - Exhaust (1")			
505-0004	1	Nipple, Close - Exhaust (1" X 1-1/2")			
505-0086	1	Nipple, Exhaust (1" X 2-1/2")			
505-0041	1	Elbow, Pipe - Exhaust (1" X 90°)			

SPECIAL PARTS LIST FOR MODEL 5.5PM-3P SPEC 1C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO Column F  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1259	1	Frame, Carrying			
211-0266	1	Bell Assembly, Generator End			
323-0924	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR MODEL 1.4PC-53BP SPEC 1D  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column F  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0207-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2094	1	Stator, Wound			
201-2021	1	Rotor, Wound			
211-0245	1	Bell Assembly, Generator End			
338-0767	1	Harness, Wiring - End Bell To Receptacle Box			
323-0876	2	Bracket, Receptacle Box Mounting			
301-3672	1	Bracket, Receptacle Mounting			
301-3743	1	Cover, Box			
301-3649	1	Box, Receptacle			
232-2433	1	Cover, End Bell			

Parts Not Furnished By Onan  
 Receptacles

SPECIAL PARTS LIST FOR MODEL 1.4PC-53CP SPEC 1D  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column B  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0207-01

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2324	1	Stator, Wound			
201-2021	1	Rotor, Wound			
211-0245	1	Bell Assembly, Generator End			
234-0533	1	Cover, Protective - End Bell			
815-0340	2	Screw, Machine - Hex Head, Cover Mounting (10-32 X 3/8")			
338-0767	1	Harness, Wiring - End Bell To Receptacle Box			
323-0876	2	Bracket, Receptacle Box Mounting			
301-3672	1	Bracket, Receptacle Mounting			
301-3743	1	Cover, Box			
301-3649	1	Box, Receptacle			
232-2433	1	Cover, End Bell			
Parts Not Furnished By Onan Receptacles					



SPECIAL PARTS LIST FOR MODEL 1.7PC-1P SPEC 1D  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC)601-0203

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-1950	1	Stator, Wound			
201-2021	1	Rotor, Wound			
234-0533	1	Cover, Protective - End Bell			
815-0340	2	Screw, Machine - Hex Head, Cover Mounting (10-32 X 3/8")			

FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column 1  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** \_\_\_\_\_ **(AC)601-0204**

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-1950	1	Stator, Wound			
201-2021	1	Rotor, Wound			
211-0247	1	Bell Assembly, Generator End			

SPECIAL PARTS LIST FOR **MODEL** 1.4PC-53BP **SPEC** 1E  
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2563	1	Stator, Wound			
201-2021	1	Rotor, Wound			
Parts Not Furnished By Onan Receptacles					

SPECIAL PARTS LIST FOR MODEL 1.4PC-53CP SPEC 1E  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2571	1	Stator, Wound			
201-2021	1	Rotor, Wound			
Parts Not Furnished By Onan Receptacles					

SPECIAL PARTS LIST FOR MODEL 1.7PC-1P SPEC 1E  
FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column B  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2473	1	Stator, Wound			
201-2021	1	Rotor, Wound			
323-0969	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR **MODEL** 1.7PC-1P **SPEC** 1F  
FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column B  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2955	1	Stator, Wound			
201-2021	1	Rotor, Wound			
323-0923	1	Box Assembly, Receptacle			

FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column C  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2955	1	Stator, Wound			
201-2021	1	Rotor, Wound			
323-0923	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR MODEL 3.0PF-1P SPEC 1F  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2474	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
323-1070	1	Box Assembly, Receptacle			
301-3916	1	Box, Receptacle			



SPECIAL PARTS LIST FOR **MODEL** 3.0PF-3P **SPEC** 1F  
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column D  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2474	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
323-0944	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR MODEL 4.5PK-1P SPEC 1F  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column C  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2475	1	Stator, Wound			
201-2023	1	Rotor, Wound			
520-0808	1	Stud, Rotor Through (5/16 X 6-5/16")			
100-1517	1	Engine, 10 Horsepower (Briggs & Stratton Model 251412 Spec 0214-01, For Component Parts Refer To Manufacturer)			
403-1259	1	Frame, Carrying			
301-3916	1	Box, Receptacle			
331-0053	5	Locknut - Exhaust (1")			
505-0333	1	Elbow, Street - Exhaust (1 X 45°)			
505-0107	1	Nipple, Pipe - Exhaust (1 X 2")			
155-1564	1	Muffler, Exhaust			
505-0004	1	Nipple, Pipe - Exhaust (1 X 1-1/2")			
505-0124	1	Elbow, Pipe - Exhaust (1 X 45°)			

SPECIAL PARTS LIST FOR MODEL 4.5PK-3P SPEC 1F  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO Column C  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2475	1	Stator, Wound			
201-2023	1	Rotor, Wound			
520-0808	1	Stud, Rotor Through (5/16 X 6-5/16")			
100-1517	1	Engine, 10 Horsepower (Briggs & Stratton Model 251412 Spec 0214-01, For Component Parts Refer To Manufacturer)			
403-1259	1	Frame, Carrying			
323-0944	1	Box Assembly, Receptacle			
331-0053	5	Locknut - Exhaust (1")			
505-0333	1	Elbow, Street - Exhaust (1 X 45°)			
505-0107	1	Nipple, Pipe - Exhaust (1 X 2")			
155-1564	1	Muffler, Exhaust			
505-0004	1	Nipple, Pipe - Exhaust (1 X 1-1/2")			
505-0124	1	Elbow, Pipe - Exhaust (1 X 45°)			

SPECIAL PARTS LIST FOR MODEL 5.5PH-1P SPEC 1F  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO Column F  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1259	1	Frame, Carrying			
301-3916	1	Box, Receptacle			
331-0053	4	Locknut - Exhaust (1")			
505-0004	1	Nipple, Close - Exhaust (1" X 1-1/2")			
505-0086	1	Nipple, Exhaust (1" X 2-1/2")			
505-0041	1	Elbow, Pipe - Exhaust (1" X 90°)			

SPECIAL PARTS LIST FOR MODEL 5.5PH-3P SPEC 1F  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1259	1	Frame, Carrying			
323-0944	1	Box Assembly, Receptacle			
331-0053	4	Locknut - Exhaust (1")			
505-0004	1	Nipple, Close - Exhaust (1" X 1-1/2")			
505-0086	1	Nipple, Exhaust (1" X 2-1/2")			
505-0041	1	Elbow, Pipe - Exhaust (1" X 90°)			

SPECIAL PARTS LIST FOR MODEL 5.5PM-1P SPEC 1F  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO Column F  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
211-0266	1	Bell Assembly, Generator End			
403-1259	1	Frame, Carrying			
323-1070	1	Box Assembly, Receptacle			
301-3916	1	Box, Receptacle			

SPECIAL PARTS LIST FOR MODEL 5.5PM-3P SPEC 1F  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
211-0266	1	Bell Assembly, Generator End			
403-1259	1	Frame, Carrying			
323-0944	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR MODEL 4.0PG-3P SPEC 8000A  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC)601-0204

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-1952	1	Stator, Wound			
201-2023	1	Rotor, Wound			
403-1041	1	Frame, Carrying			
337-0096	1	Strap, Ground			



WIRING DIAGRAM NO. \_\_\_\_\_ (AC) 601-0209

220-2955	1	Stator, Wound
201-2021	1	Rotor, Wound
323-0923	1	Box Assembly, Receptacle

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2955	1	Stator, Wound			
201-2021	1	Rotor, Wound			
323-0923	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR **MODEL** 3.0PF-3P **SPEC** 8000F  
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column I  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2474	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
323-0944	1	Box Assembly, Receptacle			

SPECIAL PARTS LIST FOR MODEL 4.5PK-3P SPEC 8000F  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column G  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2475	1	Stator, Wound			
201-2023	1	Rotor, Wound			
520-0808	1	Stud, Rotor Through (5/16 X 6-5/16")			
100-1517	1	Engine, 10 Horsepower (Briggs & Stratton Model 251412 Spec 0214-01, For Component Parts Refer To Manufacturer)			
403-1259	1	Frame, Carrying			
323-0944	1	Box Assembly, Receptacle			
331-0053	5	Locknut - Exhaust (1")			
505-0333	1	Elbow, Street - Exhaust (1 X 45°)			
505-0107	1	Nipple, Pipe - Exhaust (1 X 2")			
155-1564	1	Muffler, Exhaust			
505-0004	1	Nipple, Pipe - Exhaust (1 X 1-1/2")			
505-0124	1	Elbow, Pipe - Exhaust (1 X 45°)			

**WIRING DIAGRAM NO.** (AC) 601-0209

**Cummins** **Power Generation** Sept. 1, 1979

SPECIAL PARTS LIST FOR **MODEL** 2.0PE-1P **SPEC** 8200A  
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (AC)601-0203

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Idlematic Control					
220-1950	1	Stator, Wound			
201-2021	1	Rotor, Wound			
234-0533	1	Cover, Protective - End Bell			
815-0340	2	Screw, Machine - Hex Head Cover Mounting (10-32 X 3/8")			
355-0062	1	Capacitor - Idlematic (.1 Mfd, 100 Volt)			
315-0414	1	Transformer - Idlematic			

SPECIAL PARTS LIST FOR **MODEL** 3.0PF-3P **SPEC** 8200A  
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO** Column D  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
**WIRING DIAGRAM NO.** (AC) 601-0204

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Idlematic Control					
220-1951	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
355-0062	1	Capacitor - Idlematic (.1 Mfd, 100 Volt)			
315-0414	1	Transformer - Idlematic			

SPECIAL PARTS LIST FOR MODEL 4.5PG-3P SPEC 8200B  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column E  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC)601-0204

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Idlematic Control					
220-1952	1	Stator, Wound			
201-2023	1	Rotor, Wound			
403-1259	1	Frame, Carrying			
355-0062	1	Capacitor - Idlematic (.1 Mfd, 100 Volt)			
315-0414	1	Transformer - Idlematic			



SPECIAL PARTS LIST FOR MODEL 2.0PE-1P SPEC 8200C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column C  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Idlematic Control					
220-2473	1	Stator, Wound			
201-2021	1	Rotor, Wound			
323-0969	1	Box Assembly, Receptacle			
355-0062	1	Capacitor - Idlematic (.1 Mfd, 100 Volt)			
315-0414	1	Transformer - Idlematic			

SPECIAL PARTS LIST FOR MODEL 3.0PF-3P SPEC 8200C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO Column D  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Idlematic Control					
220-2474	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16 X 4-13/16")			
323-0967	1	Box Assembly, Receptacle			
355-0062	1	Capacitor - Idlematic (.1 Mfd, 100 Volt)			
315-0414	1	Transformer - Idlematic			
307-1569	1	Bracket, Solenoid - Idlematic			
307-1570	1	Link, Solenoid To Carburetor- Idlematic			

SPECIAL PARTS LIST FOR **MODEL** 1.7PC-1P **SPEC** 8200D  
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column B  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (AC)601-0203

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Idlematic Control					
220-1950	1	Stator, Wound			
201-2021	1	Rotor, Wound			
234-0533	1	Cover, Protective - End Bell			
815-0340	2	Screw, Machine - Hex Head, Cover Mounting (10-32 X 3/8")			
355-0062	1	Capacitor - Idlematic (.1 Mfd, 100 Volt)			
315-0414	1	Transformer - Idlematic			

SPECIAL PARTS LIST FOR MODEL 1.7PC-1P SPEC 8200E  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column B  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Idlematic Control					
220-2473	1	Stator, Wound			
201-2021	1	Rotor, Wound			
323-0969	1	Box Assembly, Receptacle			
355-0062	1	Capacitor - Idlematic (.1 Mfd, 100 Volt)			
315-0414	1	Transformer - Idlematic			
307-1550	1	Link, Solenoid To Carburetor - Idlematic			
331-0127	1	Connector, Box (90°) - Idlematic Solenoid			
508-0185	1	Grommet, Rubber (5/16" Hole) - Connector Box			

SPECIAL PARTS LIST FOR MODEL 1.7PC-1P SPEC 8200F  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column B  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Idlematic Control					
220-2955	1	Stator, Wound			
201-2021	1	Rotor, Wound			
323-0923	1	Box Assembly, Receptacle			
355-0062	1	Capacitor - Idlematic (.1 Mfd, 100 Volt)			
315-0414	1	Transformer - Idlematic			
307-1550	1	Link, Solenoid To Carburetor- Idlematic			
331-0127	1	Connector, Box (90°) - Idlematic Solenoid			
508-0185	1	Grommet, Rubber (5/16" Hole) - Connector Box			

SPECIAL PARTS LIST FOR MODEL 2.0PE-1P SPEC 8200F  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column C  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Idlematic Control					
220-2955	1	Stator, Wound			
201-2021	1	Rotor, Wound			
323-0923	1	Box Assembly, Receptacle			
355-0062	1	Capacitor - Idlematic (.1 Mfd, 100 Volt)			
315-0414	1	Transformer - Idlematic			
307-1550	1	Link, Solenoid To Carburetor - Idlematic			
331-0127	1	Connector, Box (90°) - Idlematic Solenoid			
508-0185	1	Grommet, Rubber (5/16" Hole) - Connector Box			

SPECIAL PARTS LIST FOR MODEL 3.0PF-1P SPEC 8200F  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column D  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Idlematic Control					
220-2474	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
323-1070	1	Box Assembly, Receptacle			
355-0062	1	Capacitor - Idlematic (.1 Mfd, 100 Volt)			
315-0414	1	Transformer - Idlematic			
307-1569	1	Bracket, Solenoid - Idlematic			
307-1570	1	Link, Solenoid To Carburetor - Idlematic			
331-0127	1	Connector, Box (90°) - Idlematic Solenoid			
508-0185	1	Grommet, Rubber (5/16" Hole) - Connector Box			

SPECIAL PARTS LIST FOR MODEL 4.5PK-1P SPEC 8200F  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column G  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Idlematic Control					
220-2475	1	Stator, Wound			
201-2023	1	Rotor, Wound			
520-0808	1	Stud, Rotor Through (5/16 X 6-5/16")			
100-1517	1	Engine, 10 Horsepower (Briggs & Stratton Model 251412 Spec 0214-01, For Component Parts Refer To Manufacturer)			
403-1259	1	Frame, Carrying			
301-3916	1	Box, Receptacle			
331-0053	5	Locknut - Exhaust (1")			
505-0333	1	Elbow, Street - Exhaust (1" X 45°)			
505-0107	1	Nipple, Pipe - Exhaust (1" X 2")			
155-1564	1	Muffler, Exhaust			
505-0004	1	Nipple, Pipe - Exhaust (1" X 1-1/2")			
505-0124	1	Elbow, Pipe - Exhaust (1" X 45°)			
355-0062	1	Capacitor - Idlematic (.1 Mfd, 100 Volt)			
315-0414	1	Transformer - Idlematic			
307-1547	1	Link, Solenoid To Carburetor- Idlematic			
307-1548	1	Bracket, Solenoid			



SPECIAL PARTS LIST FOR **MODEL** 5.5PH-1P **SPEC** 8200F  
**FOR STANDARD PARTS REFER TO CATALOG** 919-0305 **KEY NO.** Column F  
**(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)**  
**WIRING DIAGRAM NO.** (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Idlematic Control					
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1259	1	Frame, Carrying			
301-3916	1	Box, Receptacle			
331-0053	4	Locknut - Exhaust (1")			
505-0004	1	Nipple, Close - Exhaust (1" X 1-1/2")			
505-0086	1	Nipple, Exhaust (1" X 2-1/2")			
505-0041	1	Elbow, Pipe - Exhaust (1" X 90°)			
355-0062	1	Capacitor - Idlematic (.1 Mfd, 100 Volt)			
315-0414	1	Transformer - Idlematic			
307-1586	1	Bracket, Solenoid - Idlematic			
307-1587	1	Link, Solenoid To Carburetor- Idlematic			
331-0127	1	Connector, Box (90°) - Idlematic Solenoid			
508-0185	1	Grommet, Rubber (5/16" Hole) - Connector Box			

SPECIAL PARTS LIST FOR **MODEL** 5.5PM-1P **SPEC** 8200F  
**FOR STANDARD PARTS REFER TO CATALOG** 919-0305 **KEY NO.** Column F  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Idlematic Control					
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
211-0266	1	Bell Assembly, Generator End			
403-1259	1	Frame, Carrying			
323-1070	1	Box Assembly, Receptacle			
301-3916	1	Box, Receptacle			
355-0062	1	Capacitor - Idlematic (.1 Mfd, 100 Volt)			
315-0414	1	Transformer - Idlematic			
307-1587	1	Link, Solenoid To Carburetor- Idlematic			
331-0127	1	Connector, Box (90°) - Idlematic Solenoid			
508-0185	1	Grommet, Rubber (5/16" Hole) - Connector Box			
307-1586	1	Bracket, Solenoid - Idlematic			

SPECIAL PARTS LIST FOR MODEL 2.0PE-1P SPEC 9900A  
FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column C  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0203

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-1950	1	Stator, Wound			
201-2021	1	Rotor, Wound			
234-0533	1	Cover, Protective - End Bell			
815-0340	2	Screw, Machine - Hex Head			
		Cover Mounting (10-32 X 3/8")			
403-1034	1	Base, Mounting			

SPECIAL PARTS LIST FOR MODEL 3.0PF-3P SPEC 9900A  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column D  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC) 601-0204

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-1951	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			

SPECIAL PARTS LIST FOR **MODEL** 4.0PG-3P **SPEC** 9900A  
FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column E  
(PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (AC) 601-0204

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-1952	1	Stator, Wound			
201-2023	1	Rotor, Wound			



201-2024 1 Rotor, Wound

SPECIAL PARTS LIST FOR MODEL 1.7PC-1P SPEC 9900D  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0203

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-1950	1	Stator, Wound			
201-2021	1	Rotor, Wound			
234-0533	1	Cover, Protective - End Bell			
815-0340	2	Screw, Machine - Hex Head, Cover Mounting (10-32 X 3/8")			



SPECIAL PARTS LIST FOR MODEL 2.0PE-1P SPEC 13033A  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column C  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0203

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-1950	1	Stator, Wound			
201-2021	1	Rotor, Wound			
234-0533	1	Cover, Protective - End Bell			
815-0340	2	Screw, Machine - Hex Head Cover Mounting (10-32 X 3/8")			
403-1034	1	Base, Mounting			
337-0087	1	Strap, Ground			

SPECIAL PARTS LIST FOR MODEL 3.0PF-3P SPEC 13034A  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column D  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC) 601-0205

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-1951	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
211-0245	1	Bell Assembly, Generator End			
300-1094	1	Box Assembly, Receptacle			
337-0087	1	Strap, Bond - Ground			

SPECIAL PARTS LIST FOR **MODEL** 4.0PG-3P **SPEC** 13034A  
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column E  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (AC) 601-0205

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Remote Receptacle Box					
220-1952	1	Stator, Wound			
201-2023	1	Rotor, Wound			
300-1094	1	Box Assembly, Receptacle			
337-0087	1	Strap, Bond			

SPECIAL PARTS LIST FOR MODEL 2.0PE-1P SPEC 13570A  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column C  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-9203

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Milwaukee Tool					
220-1950	1	Stator, Wound			
201-2021	1	Rotor, Wound			
234-0533	1	Cover, Protective - End Bell			
815-0340	2	Screw, Machine - Hex Head			
		Cover Mounting (10-32 X 3/8")			
403-1106	1	Frame, Carrying			
402-0429	4	Dampener, Vibration			
337-0097	1	Strap, Ground			
403-1034	1	Base, Mounting			

SPECIAL PARTS LIST FOR MODEL 1.5PG-1P SPEC 13570D  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Co1um1.  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW  
 WIRING DIAGRAM NO. (AC)601-0203

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-1950	1	Stator, Wound			
201-2021	1	Rotor, Wound			
234-0533	1	Cover, Protective - End Bell			
815-0340	2	Screw, Machine - Hex Head, Cover Mounting (10-32 X 3/8")			
403-1034	1	Base, Engine Mounting			
403-1106	1	Frame, Carrying			
337-0097	1	Strap, Ground			
402-0429	4	Dampener, Vibration			

The following catalog  
has gaps in its page  
numbers, or doesn't  
have any numbers.  
We have chosen to  
leave the page  
numbering in the  
order that Acrobat  
assigns it.

SPECIAL PARTS LIST FOR **MODEL** 2.0PE-1P **SPEC** 19252F  
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column C  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Montgomery Wards					
220-2955	1	Stator, Wound			
201-2021	1	Rotor, Wound			
323-1103	1	Box Assembly, Receptacle (Includes Parts Marked *)			
301-3916	1	*Box, Receptacle			
320-0540	2	*Breaker, Circuit (15 Ampere)			
323-0383	2	*Receptacle, Output (Duplex)			
323-0869	2	*Strap, Ground - Receptacle			
179-1552	1	Arrester, Spark - Exhaust			

SPECIAL PARTS LIST FOR MODEL 2.2PE-1P SPEC 19252F  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column C  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Montgomery Wards*					
220-2955	1	Stator, Wound			
201-2021	1	Rotor, Wound			
323-1103	1	Box Assembly, Receptacle (Includes Parts Marked *)			
301-3916	1	*Box, Receptacle			
320-0540	2	*Breaker, Circuit (15 Ampere)			
323-0383	2	*Receptacle, Output (Duplex)			
323-0869	2	*Strap, Ground - Receptacle			
179-1552	1	Arrester, Spark - Exhaust			



SPECIAL PARTS LIST FOR MODEL 3.0PF-3P SPEC 19253F  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column D  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Montgomery Wards					
220-2474	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
403-1040	1	Frame, Carrying			
323-1102	1	Box Assembly, Receptacle (Includes Parts Marked *)			
301-3916	1	*Box, Receptacle			
320-0540	3	*Breaker, Circuit (15 Ampere)			
323-0383	1	*Receptacle, Output - Duplex (120 Volt, Parallel Blades)			
323-0213	1	*Receptacle, Output - Duplex (240 Volt, Tandem Blades)			
323-0869	1	*Strap, Ground - Receptacle			
179-1552	1	Arrester, Spark - Exhaust			

SPECIAL PARTS LIST FOR MODEL 4.5PK-3P SPEC 19254F  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO Column G  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Montgomery Wards					
220-2475	1	Stator, Wound			
201-2023	1	Rotor, Wound			
520-0808	1	Stud, Rotor Through (5/16 X 6- 5/16")			
100-1517	1	Engine, 10 Horsepower (Briggs & Stratton Model 251412 Spec 0214-01, For Component Parts Refer To Manufacturer)			
403-1041	1	Frame, Carrying			
323-1102	1	Box Assembly, Receptacle (Includes Parts Marked *)			
301-3916	1	*Box, Receptacle			
320-0540	3	*Breaker, Circuit (15 Ampere)			
323-0383	1	*Receptacle, Output - Duplex (120 Volt, Parallel Blades)			
323-0213	1	*Receptacle, Output - Duplex (240 Volt, Tandem Blades)			
323-0869	1	*Strap, Ground - Receptacle			
115-1564	1	Muffler, Exhaust			
155-1537	1	Arrester, Spark - Exhaust			
155-1538	1	Deflector, Muffler			
155-1539	4	Screw, Muffler (Special)			
505-0088	1	Nipple, Pipe - Exhaust (1" X 4-1/2")			
331-0053	2	Locknut - Exhaust (1")			

SPECIAL PARTS LIST FOR MODEL 5.0PK-3P SPEC 19254F  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO Column G  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Montgomery Wards					
220-2475	1	Stator, Wound			
201-2023	1	Rotor, Wound			
520-0808	1	Stud, Rotor Through (5/16 X 6- 5/16")			
100-1517	1	Engine, 10 Horsepower (Briggs & Stratton Model 251412 Spec 0214-01, For Component Parts Refer To Manufacturer)			
403-1041	1	Frame, Carrying			
323-1102	1	Box Assembly, Receptacle (Includes Parts Marked *)			
301-3916	1	*Box, Receptacle			
320-0540	3	*Breaker, Circuit (15 Ampere)			
323-0383	1	*Receptacle, Output - Duplex (120 Volt, Parallel Blades)			
323-0213	1	*Receptacle, Output - Duplex (240 Volt, Tandem Blades)			
323-0869	1	*Strap, Ground - Receptacle			
155-1564	1	Muffler, Exhaust			
155-1537	1	Arrester, Spark - Exhaust			
155-1538	1	Deflector, Muffler			
155-1539	4	Screw, Muffler (Special)			
505-0088	1	Nipple, Pipe - Exhaust (1" X 4-1/2")			
331-0053	2	Locknut - Exhaust (1")			

SPECIAL PARTS LIST FOR MODEL 6.0PM-3P SPEC 19271F  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Montgomery Wards					
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
211-0266	1	Bell Assembly, Generator End			
403-1041	1	Frame, Carrying			
323-1101	1	Box Assembly, Receptacle (Includes Parts Marked *)			
301-3824	1	*Box, Receptacle			
320-0540	2	*Breaker, Circuit (15 Ampere)			
320-0543	2	*Breaker, Circuit (30 Ampere)			
323-0869	1	*Strap, Ground - Receptacle			
323-0383	1	*Receptacle, Output - Duplex (15 Amp, 125 Volt)			
323-0943	1	*Receptacle, Output - Twistlock (30 Amp, 125/250 Volt 4 Wire)			
155-1564	1	Muffler, Exhaust			
155-1537	1	Arrester, Spark - Exhaust			
155-1538	1	Deflector, Muffler			
155-1539	4	Screw, Muffler (Special)			
505-0087	1	Nipple, Pipe - Exhaust (1" X 3")			
331-0053	2	Locknut - Exhaust (1")			

SPECIAL PARTS LIST FOR **MODEL** 3.0PL-1P **SPEC** 19536F  
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column D  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Montgomery Wards					
220-2474	1	Stator, Wound			
201-2022	1	Rotor, Wound			
100-1603	1	Engine, 4 Horsepower (Briggs & Stratton Model 170412 Spec 1734-02, For Component Parts Refer To Manufacturer)			
402-0425	4	Dampener, Vibration			
231-0195	1	Adapter, Generator			
403-1463	1	Handle, Carrying			
403-1486	1	Spacer, Handle			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
403-1477	2	Grip, Handle			
323-1103	1	Box Assembly, Receptacle (Includes Parts Marked *)			
301-3916	1	*Box, Receptacle			
320-0540	2	*Breaker, Circuit (15 Ampere)			
323-0383	2	*Receptacle, Output - Duplex			
323-0869	2	*Strap, Ground - Receptacle			
155-1528	1	Arrester, Spark - Exhaust			
211-0266	1	Bell Assembly, Generator End			

SPECIAL PARTS LIST FOR MODEL 3.7PK-53CP SPEC 19725C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column G  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

ART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Idlematic Control			150-1667	1	Kit, Idlematic - Complete (Includes Parts Marked #)
220-2573	1	Stator, Wound	308-0412	1	#Switch, Toggle
201-2023	1	Rotor, Wound	307-1596	1	#Solenoid, Idlematic
520-0808	1	Stud, Rotor Through (5/16 X 6-5/16")	332-0941	2	#Tie, Cable
100-1517	1	Engine, 10 Horsepower (Briggs & Stratton Model 251412 Spec 0214-01, For Component Parts Refer To Manufacturer)	307-1548	1	#Bracket, Solenoid Mounting
403-1259	1	Frame, Carrying	307-1547	1	#Link, Solenoid To Carburetor
301-4407	1	Frame, Control	331-0127	1	#Connector, Box (90°) - Idlematic Solenoid
301-4405	1	Panel, Control	331-0136	1	#Conduit, Flex (24")
301-4406	1	Cover, Control	300-1435	1	#Board Assembly, Printed Circuit - Complete (Includes Parts Marked +)
508-0051	1	Grommet, (2" Hole)	355-0062	1	+Capacitor (.1 Mfd, 100 Volt)
232-2636	1	Bracket & Terminal Assembly, Control	315-0414	1	+Transformer
155-1564	1	Muffler, Exhaust	356-0061	1	+Capacitor, Electrolytic (330 Mfd, 3 Volt)
155-1537	1	Arrester, Spark - Exhaust	357-0004	3	+Diode, Rectifier
155-1538	1	Deflector, Muffler	359-0036	1	+Diode, Zener
155-1539	4	Screw, Muffler (Special)	364-0018	1	+Rectifier, Gate Controlled
505-0004	1	Nipple, Pipe - Exhaust (1" X 1-1/2")	364-0005	1	+Rectifier, Gate Controlled
331-0053	5	Locknut - Exhaust (1")	350-0548	1	+Resistor (10K Ohm, 1/2 Watt)
505-0333	1	Elbow, Street - Exhaust (1" X 45°)	350-0557	1	+Resistor (56K Ohm, 1/2 Watt)
505-0107	1	Nipple, Pipe - Exhaust (1" X 2")	350-0560	1	+Resistor (100K Ohm, 1/2 Watt)
505-0124	1	Elbow, Pipe - Exhaust (1" X 45°)	350-0800	1	+Resistor (1 Ohm, 1/2 Watt)
323-1073	1	Panel Assembly, Receptacle (Includes Parts Marked *)			
301-4439	1	*Panel, Receptacle			
323-1072	1	*Receptacle, Output - Twistlock (20 Amp, 250 Volt, 3 Wire)			
323-1071	1	*Receptacle, Output - Twistlock (30 Amp, 125 Volt, 3 Wire)			
323-0383	1	*Receptacle, Output - Duplex (15 Amp, 125 Volt)			
308-0422	1	*Switch, Toggle - Receptacle Panel			
320-0541	2	*Breaker, Circuit (20 Ampere)			
320-0540	2	*Breaker, Circuit (15 Ampere)			
320-0543	1	*Breaker, Circuit (30 Ampere)			
323-0869	1	*Strap, Ground - Receptacle			
517-0133	4	*Plug - Receptacle Panel (1/2" Hole)			

SPECIAL PARTS LIST FOR MODEL 3.5PF-3P SPEC 19761C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column D  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Stow Manufacturing					
220-2474	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
301-4407	1	Frame, Control			
301-4405	1	Panel, Control			
301-4406	1	Cover, Control			
508-0051	1	Grommet, (2" Hole)			
323-1073	1	Panel Assembly, Receptacle (Includes Parts Marked *)			
301-4439	1	*Panel, Receptacle			
323-1072	1	*Receptacle, Output - Twistlock (20 Amp, 250 Volt, 3 Wire)			
323-1071	1	*Receptacle, Output - Twistlock (30 Amp, 125 Volt, 3 Wire)			
323-0383	1	*Receptacle, Output - Duplex (15 Amp, 125 Volt)			
308-0422	1	*Switch, Toggle - Receptacle Panel			
320-0541	2	*Breaker, Circuit (20 Ampere)			
320-0540	2	*Breaker, Circuit (15 Ampere)			
320-0543	1	*Breaker, Circuit (30 Ampere)			
323-0869	1	*Strap, Ground - Receptacle			
517-0133	4	Plug - Receptacle Panel (1/2" Hole)			
179-1552	1	Arrester, Spark - Exhaust			

SPECIAL PARTS LIST FOR MODEL 5.5PM-3P SPEC 19878F  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column F  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
211-0266	1	Bell Assembly, Generator End			
403-1041	1	Frame, Carrying			
323-0944	1	Box Assembly, Receptacle			
155-1564	1	Muffler, Exhaust			
155-1537	1	Arrester, Spark - Exhaust			
155-1538	1	Deflector, Muffler			
155-1539	4	Screw, Muffler (Special)			
505-0087	1	Nipple, Pipe - Exhaust (1" X 3")			
331-0053	2	Locknut - Exhaust (1")			



SPECIAL PARTS LIST FOR MODEL 3.0PF-3P SPEC 20042C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column D  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Milwaukee Tool					
220-2474	1	Stator, Wound			
201-2022	1	Rotor, Wound			
231-0195	1	Adapter, Generator			
502-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
403-1040	1	Frame, Carrying			
301-4365	1	Box, Receptacle			
234-0558	1	Panel, Louver - End Bell			
508-0195	1	Bushing, Receptacle Box			
323-1066	1	Panel Assembly, Receptacle (Includes Parts Marked *)			
301-4356	1	*Panel, Receptacle			
323-1072	1	*Receptacle, Output - Twistlock (20 Amp, 250 Volt, 3 Wire)			
323-1071	1	*Receptacle, Output - Twistlock (30 Amp, 125 Volt, 3 Wire)			
323-0383	1	*Receptacle, Output - Duplex (15 Amp, 125 Volt)			
308-0411	1	*Switch, Toggle - Receptacle Panel			
320-0541	2	*Breaker, Circuit (20 Ampere)			
320-0540	1	*Breaker, Circuit (15 Ampere)			
320-0543	1	*Breaker, Circuit (30 Ampere)			
332-1815	1	*Strip, Terminal			
323-0869	1	*Strap, Ground - Receptacle			

SPECIAL PARTS LIST FOR MODEL 4.0PK-3P SPEC 20043C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column G  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Milwaukee Tool					
220-2475	1	Stator, Wound			
201-2023	1	Rotor, Wound			
520-0808	1	Stud, Rotor Through (5/16 X 6- 5/16")			
100-1617	1	Engine, 10 Horsepower (Briggs & Stratton Model 220432 Spec 0131-01, For Component Parts Refer To Manufacturer)			
403-1041	1	Frame, Carrying			
301-4365	1	Box, Receptacle			
234-0558	1	Panel, Louver - End Bell			
508-0195	1	Bushing, Receptacle Box			
323-1066	1	Panel Assembly, Receptacle (Includes Parts Marked *)			
301-4356	1	*Panel, Receptacle			
323-1072	1	*Receptacle, Output - Twistlock (20 Amp, 250 Volt, 3 Wire)			
323-1071	1	*Receptacle, Output - Twistlock (30 Amp, 125 Volt, 3 Wire)			
323-0383	1	*Receptacle, Output - Duplex (15 Amp, 125 Volt)			
308-0411	1	*Switch, Toggle - Receptacle Panel			
320-0541	2	*Breaker, Circuit (20 Ampere)			
320-0540	1	*Breaker, Circuit (15 Ampere)			
320-0543	1	*Breaker, Circuit (30 Ampere)			
332-1815	1	*Strip, Terminal			
323-0869	1	*Strap, Ground - Receptacle			
517-0133	4	*Plug-Receptacle Panel (1/2")			
331-0053	2	Locknut - Exhaust (1")			
505-0088	1	Nipple, Pipe - Exhaust (1 X 4-1/2")			
155-1564	1	Muffler, Exhaust			

SPECIAL PARTS LIST FOR MODEL 4.OPN-3P SPEC 20043C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column G  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Milwaukee Tool					
220-2475	1	Stator, Wound			
201-2023	1	Rotor, Wound			
100-1681	1	Engine, 11 Horsepower (Briggs & Stratton Model 251412 For Component Parts Refer To Manufacturer)			
520-0808	1	Stud, Rotor Through (5/16" X 6- 5/16")			
211-0266	1	Bell Assembly, Generator End			
403-1041	1	Frame, Carrying			
301-4365	1	Box, Receptacle			
234-0558	1	Panel, Louver - End Bell			
508-0195	1	Bushing, Receptacle Box			
323-1066	1	Panel Assembly, Receptacle (Includes Parts Marked *)			
301-4356	1	*Panel, Receptacle			
323-1072	1	*Receptacle, Output - Twistlock (20 Amp, 250 Volt, 3 Wire)			
323-1071	1	*Receptacle, Output - Twistlock (30 Amp, 125 Volt, 3 Wire)			
323-0383	1	*Receptacle, Output - Duplex (15 Amp, 125 Volt)			
308-0411	1	*Switch, Toggle - Receptacle Panel			
320-0541	2	*Breaker, Circuit (20 Ampere)			
320-0540	1	*Breaker, Circuit (15 Ampere)			
320-0543	1	*Breaker, Circuit (30 Ampere)			
332-1815	1	*Strip, Terminal			
323-0869	1	*Strap, Ground - Receptacle			
517-0133	4	*Plug, Receptacle Panel (1/2")			
331-0053	2	Locknut - Exhaust (1")			
505-0088	1	Nipple, Pipe - Exhaust (1 X 4-1/2")			
155-1564	1	Muffler, Exhaust			

SPECIAL PARTS LIST FOR **MODEL** 5.5PM-3P **SPEC** 20043C  
 FOR STANDARD PARTS REFER TO **CATALOG** 919-0305 **KEY NO.** Column F  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

**WIRING DIAGRAM NO.** (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Milwaukee Tool					
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
403-1041	1	Frame, Carrying			
211-0266	1	Bell Assembly, Generator End			
301-4365	1	Box, Receptacle			
234-0558	1	Panel, Louver - End Bell			
508-0195	1	Bushing, Receptacle Box			
323-1066	1	Panel Assembly, Receptacle (Includes Parts Marked *)			
301-4356	1	*Panel, Receptacle			
323-1072	1	*Receptacle, Output - Twistlock (20 Amp, 250 Volt, 3 Wire)			
323-1071	1	*Receptacle, Output - Twistlock (30 Amp, 125 Volt, 3 Wire)			
323-0383	1	*Receptacle, Output - Duplex (15 Amp, 125 Volt)			
308-0411	1	*Switch, Toggle - Receptacle Panel			
320-0541	2	*Breaker, Circuit (20 Ampere)			
320-0540	1	*Breaker, Circuit (15 Ampere)			
320-0543	1	*Breaker, Circuit (30 Ampere)			
332-1815	1	*Strip, Terminal			
323-0869	1	*Strap, Ground - Receptacle			
517-0133	4	*Plug, Receptacle Panel (1/2")			
331-0053	2	Locknut - Exhaust (1")			
505-0087	1	Nipple, Pipe - Exhaust (1" X 3")			
155-1564	1	Muffler, Exhaust			

SPECIAL PARTS LIST FOR MODEL 6.0PM-3P SPEC 20085C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column F  
 (PART CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)

WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
211-0266	1	Bell Assembly, Generator End			
403-1259	1	Frame, Carrying			
301-4407	1	Frame, Control			
301-4405	1	Panel, Control			
301-4406	1	Cover, Control			
301-4601	1	Panel, Receptacle - Blank			
508-0051	1	Grommet, (2" Hole)			
232-2636	1	Bracket & Terminal Assembly, Control			
323-1073	1	Panel Assembly, Receptacle (Includes Parts Marked *)			
301-4439	1	*Panel, Receptacle			
323-1072	1	*Receptacle, Output - Twistlock (20 Amp, 250 Volt, 3 Wire)			
323-1071	1	*Receptacle, Output - Twistlock (30 Amp, 125 Volt, 3 Wire)			
323-0383	1	*Receptacle, Output - Duplex (15 Amp, 125 Volt)			
308-0422	1	*Switch, Toggle - Receptacle Panel			
320-0541	2	*Breaker, Circuit (20 Ampere)			
320-0540	2	*Breaker, Circuit (15 Ampere)			
320-0543	1	*Breaker, Circuit (30 Ampere)			
323-0869	1	*Strap, Ground - Receptacle			
517-0133	4	*Plug - Receptacle Panel (1/2" Hole)			
331-0053	4	Locknut - Exhaust (1")			
505-0004	1	Nipple, Close - Exhaust (1" X 1-1/2")			
505-0086	1	Nipple, Exhaust (1" X 2-1/2")			
505-0041	1	Elbow, Pipe - Exhaust (1" X 90°)			
155-1564	1	Muffler, Exhaust			
155-1537	1	Arrester, Spark - Exhaust			
155-1538	1	Deflector, Muffler			
155-1539	4	Screw, Muffler (Special)			

SPECIAL PARTS LIST FOR MODEL 1.7PG-1P SPEC 20262F  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column B  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Montgomery Wards					
220-2955	1	Stator, Wound			
201-2021	1	Rotor, Wound			
323-1103	1	Box Assembly, Receptacle (Includes Parts Marked *)			
301-3916	1	*Box, Receptacle			
320-0540	2	*Breaker, Circuit			
323-0383	2	*Receptacle, Output			
323-0869	2	*Strap, Ground			
179-1552	1	Arrester, Spark - Exhaust			
100-1644	1	Engine, 4 Horsepower (Briggs & Stratton Model 100212 Spec 0583-01, For Component Parts Refer To Manufacturer)			

SPECIAL PARTS LIST FOR MODEL 2.2PE-1P SPEC 20263F  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column C  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Montgomery Wards					
220-2955	1	Stator, Wound			
201-2021	1	Rotor, Wound			
323-1103	1	Box Assembly, Receptacle (Includes Parts Marked *)			
301-3916	1	*Box, Receptacle			
320-0540	2	*Breaker, Circuit (15 Ampere)			
323-0383	2	*Receptacle, Output (Duplex)			
323-0869	2	*Strap, Ground - Receptacle			
179-1552	1	Arrester, Spark - Exhaust			
100-1615	1	Engine, 5 Horsepower (Briggs & Stratton Model 130212 Spec 0921-01, For Component Parts Refer To Manufacturer)			

SPECIAL PARTS LIST FOR MODEL 3.0PL-3P SPEC 20264F  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column D  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Montgomery Wards					
220-2474	1	Stator, Wound			
201-2022	1	Rotor, Wound			
100-1603	1	Engine, 4 Horsepower (Briggs & Stratton Model 170412 Spec 1734-02, For Component Parts Refer To Manufacturer)			
402-0425	4	Dampener, Vibration			
231-0195	1	Adapter, Generator			
403-1463	1	Handle, Carrying			
403-1486	1	Spacer, Handle			
520-0806	1	Stud, Rotor Through (5/16" X 4-13/16")			
403-1477	2	Grip, Handle			
155-1528	1	Arrester, Spark - Exhaust			
323-1102	1	Box Assembly, Receptacle (Includes Parts Marked *)			
301-3916	1	*Box, Receptacle			
320-0540	3	*Breaker, Circuit (15 Ampere)			
323-0383	1	*Receptacle, Output - Duplex (120 Volt, Parallel Blades)			
323-0213	1	*Receptacle, Output - Duplex (240 Volt, Tandem Blades)			
323-0869	1	*Strap, Ground - Receptacle			
211-0266	1	Bell Assembly, Generator End			



SPECIAL PARTS LIST FOR MODEL 5,0PK-3P SPEC 20270F  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column C  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Montgomery Wards					
220-2475	1	Stator, Wound			
201-2023	1	Rotor, Wound			
520-0808	1	Stud, Rotor Through (5/16 X 6- 5/16")			
100-1617	1	Engine, 10 Horsepower (Briggs & Stratton Model 220432 Spec 0131-01, For Component Parts Refer To Manufacturer)			
403-1041	1	Frame, Carrying			
323-1102	1	Box Assembly, Receptacle (Includes Parts Marked *)			
301-3916	1	*Box, Receptacle			
320-0540	3	*Breaker, Circuit (15 Ampere)			
323-0383	1	*Receptacle, Output - Duplex (120 Volt, Parallel Blades)			
323-0213	1	*Receptacle, Output - Duplex (240 Volt, Tandem Blades)			
323-0869	1	*Strap, Ground - Receptacle			
155-1564	1	Muffler, Exhaust			
155-1537	1	Arrester, Spark - Exhaust			
155-1538	1	Deflector, Muffler			
155-1539	4	Screw, Muffler (Special)			
505-0088	1	Nipple, Pipe - Exhaust (1" X 4-1/2")			
331-0053	2	Locknut - Exhaust (1")			

SPECIAL PARTS LIST FOR MODEL 5.0PK-3E SPEC 20271F  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column C  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Montgomery Wards					
220-2475	1	Stator, Wound			
201-2023	1	Rotor, Wound			
520-0808	1	Stud, Rotor Through (5/16 X 6- 5/16")			
100-1648	1	Engine, 10 Horsepower (Briggs & Stratton Model 220435)			
403-1503	1	Frame, Carrying			
323-1102	1	Box Assembly, Receptacle (Includes Parts Marked *)			
301-3916	1	*Box, Receptacle			
320-0540	3	*Breaker, Circuit (15 Ampere)			
323-0383	1	*Receptacle, Output - Duplex (120 Volt, Parallel Blades)			
323-0213	1	*Receptacle, Output - Duplex (240 Volt, Tandem Blades)			
323-0869	1	*Strap, Ground - Receptacle			
155-1564	1	Muffler, Exhaust			
155-1537	1	Arrester, Spark - Exhaust			
155-1538	1	Deflector, Muffler			
155-1539	4	Screw, Muffler (Special)			
505-0088	1	Nipple, Pipe - Exhaust (1" X 4-1/2")			
331-0053	2	Locknut - Exhaust (1")			
416-0703	1	Tray, Battery			
508-0060	1	Grommet, Rubber - Battery Tray (1" Hole)			
301-4826	1	Cover, Switch			
313-0032	1	Switch, Push - Starter			
304-0342	1	Resistor, Fixed (7.5 Ohms, 10 Watt) - Charging Circuit			
357-0030	1	Rectifier, Diode - Charging Circuit			
192-0399	1	Rope, Starter			
416-0696	1	Hold-Down, Battery			

SPECIAL PARTS LIST FOR MODEL 6.5PM-3P SPEC 20272F  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column F  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Montgomery Wards					
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
100-1618	1	Engine, 16 Horsepower (Briggs & Stratton Model 326432 Spec 0302-01, For Component Parts Refer To Manufacturer)			
403-1041	1	Frame, Carrying			
211-0266	1	Bell Assembly, Generator End			
323-1126	1	Panel Assembly, Receptacle (Includes Parts Marked *)			
301-3915	1	*Panel, Receptacle			
323-1072	1	*Receptacle, Output - Twistlock (20 Amp, 250 Volt, 3 Wire)			
323-1071	1	*Receptacle, Output - Twistlock (30 Amp, 125 Volt, 3 Wire)			
323-0383	1	*Receptacle, Output - Duplex (15 Amp, 125 Volt)			
323-0869	1	Strap, Ground - Receptacle			
155-1564	1	Muffler, Exhaust			
155-1537	1	Arrester, Spark - Exhaust			
155-1538	1	Deflector, Muffler			
155-1539	4	Screw, Muffler (Special)			
505-0087	1	Nipple, Pipe - Exhaust (1" X 3")			
331-0053	2	Locknut - Exhaust (1")			
323-0862	1	Plug, Twistlock - Receptacle			
323-0863	1	Plug, Twistlock - Receptacle			

SPECIAL PARTS LIST FOR MODEL 6.5PM-3E SPEC 20273F  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column 1  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Montgomery Wards					
220-2476	1	Stator, Wound			
201-2024	1	Rotor, Wound			
100-1649	1	Engine, 16 Horsepower (Briggs & Stratton Model 326435 Spec 0296-01, For Component Parts Refer To Manufacturer)			
211-0266	1	Bell Assembly, Generator End			
403-1503	1	Frame, Carrying			
323-1126	1	Panel Assembly, Receptacle (Includes Parts Marked *)			
301-3915	1	*Panel, Receptacle			
323-1072	1	*Receptacle, Output - Twistlock (20 Amp, 250 Volt, 3 Wire)			
323-1071	1	*Receptacle, Output - Twistlock (30 Amp, 125 Volt, 3 Wire)			
323-0383	1	*Receptacle, Output - Duplex (15 Amp, 125 Volt)			
323-0869	1	Strap, Ground - Receptacle			
155-1564	1	Muffler, Exhaust			
155-1537	1	Arrester, Spark - Exhaust			
155-1538	1	Deflector, Muffler			
155-1539	4	Screw, Muffler (Special)			
505-0087	1	Nipple, Pipe - Exhaust (1" X 3")			
331-0053	2	Locknut - Exhaust (1")			
416-0703	1	Tray, Battery			
508-0060	1	Grommet, Rubber - Battery Tray (1" Hole)			
301-4826	1	Cover, Switch			
313-0032	1	Switch, Push - Starter			
304-0342	1	Resistor, Fixed (7.5 Ohms, 10 Watt)			
357-0030	1	Rectifier, Diode - Charging Circuit			
192-0399	1	Rope, Starter			
416-0696	1	Hold-Down, Battery			

SPECIAL PARTS LIST FOR MODEL 5.0PN-3E SPEC 20624F  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC)601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
Manufactured For: Montgomery Wards					
220-2475	1	Stator, Wound			
201-2023	1	Rotor, Wound			
100-1682	1	Engine, 11 Horsepower (Briggs & Stratton Model 252415 For Component Parts Refer To Manufacturer)			
211-0266	1	Bell Assembly, Generator End			
520-0808	1	Stud, Rotor Through (5/16 X 6- 5/16")			
403-1503	1	Frame, Carrying			
323-1102	1	Box Assembly, Receptacle (Includes Parts Marked *)			
301-3916	1	*Box, Receptacle			
320-0540	3	*Breaker, Circuit (15 Ampere)			
323-0383	1	*Receptacle, Output - Duplex (120 Volt, Parallel Blades)			
323-0213	1	*Receptacle, Output - Duplex (240 Volt, Tandem Blades)			
323-0869	1	*Strap, Ground - Receptacle			
155-1564	1	Muffler, Exhaust			
155-1537	1	Arrester, Spark - Exhaust			
155-1538	1	Deflector, Muffler			
155-1539	4	Screw, Muffler (Special)			
505-0088	1	Nipple, Pipe - Exhaust (1" X 4-1/2")			
331-0053	2	Locknut - Exhaust (1")			
416-0703	1	Tray, Battery			
508-0060	1	Grommet, Rubber - Battery Tray (1" Hole)			
301-4826	1	Cover, Switch			
313-0032	1	Switch, Push - Starter			
304-0342	1	Resistor, Fixed (7.5 Ohms, 10 Watt) Charging Circuit			
357-0030	1	Rectifier, Diode - Charging Circuit			
192-0399	1	Rope, Starter			
418-0696	1	Hold-Down, Battery			

SPECIAL PARTS LIST FOR MODEL 3.7PK-53BP SPEC 20673C  
 FOR STANDARD PARTS REFER TO CATALOG 919-0305 KEY NO. Column  
 (PARTS CATALOG ALSO CONTAINS COMPONENTS FOR MAJOR OPTIONAL FEATURES LISTED BELOW)  
 WIRING DIAGRAM NO. (AC) 601-0209

PART NO.	QTY.	DESCRIPTION	PART NO.	QTY.	DESCRIPTION
*Side Mounted Receptacle Box - Left					
220-2565	1	Stator, Wound			
201-2023	1	Rotor, Wound			
520-0808	1	Stud, Rotor Through (5/16 X 6-5/16")			
100-1617	1	Engine, 10 Horsepower (Briggs & Stratton Model 220432 Spec 0131-01, For Component Parts Refer To Manufacturer)			
403-1259	1	Frame, Carrying			
331-0053	5	Locknut - Exhaust (1")			
505-0333	1	Elbow, Street - Exhaust (1 X 45°)			
505-0107	1	Nipple, Pipe - Exhaust (1 X 2")			
155-1564	1	Muffler, Exhaust			
505-0004	1	Nipple, Pipe - Exhaust (1 X 1-1/2")			
505-0124	1	Elbow, Pipe - Exhaust (1 X 45°)			
* - For Component Parts Refer To Column D					

## FICHE LOCATION

## ILLUSTRATION

1 A3 \*\*\*\*\* DATA TABLE

1 C1 \*\*\*\*\* BATTERY CHARGER & RUNNING LIGHT GROUP

1 A3 \*\*\*\*\* DOLLY GROUP - OPTIONAL

1 A13 \*\*\*\*\* END BELL GROUP - BEGIN SPEC E (PC)

1 A13 \*\*\*\*\* END BELL GROUP - BEGIN SPEC C (PD-H,K)

1 B5 \*\*\*\*\* END BELL GROUP - SPEC D ONLY (PC)

1 B5 \*\*\*\*\* END BELL GROUP - SPEC A-B(PD-PH)

1 B1 \*\*\*\*\* END RECEPTACLE BOX GROUP (60 HERTZ) - BEGIN SPEC C (PD-H,K)

1 B1 \*\*\*\*\* END RECEPTACLE BOX GROUP (60 HERTZ) - BEGIN SPEC E (PC)

1 A5 \*\*\*\*\* ENGINE & CARRYING FRAME GROUP

1 A9 \*\*\*\*\* GENERATOR GROUP

1 C3 \*\*\*\*\* IDLEMATIC CONTROL - OPTIONAL

1 B7 \*\*\*\*\* PRINTED CIRCUIT BOARD(300-1185) IDLE-MATIC CONTROL

1 B11 \*\*\*\*\* RECEPTACLE BOX ASSEMBLY GROUP - REMOTE - SPEC A-B(PD-PH)

1 B11 \*\*\*\*\* RECEPTACLE BOX ASSEMBLY GROUP - REMOTE - SPEC D - PC


1 C5 \*\*\*\*\* SERVICE KITS & MISCELLANEOUS

1 B9 \*\*\*\*\* SIDE MOUNTED RECEPTACLE BOX GR.(STAND./50%OPT./60) - BEGIN SPEC E(PC)

1 B9 \*\*\*\*\* SIDE MOUNTED RECEPTACLE BOX GR.(STAND./50%OPT./60) - BEGIN SPEC C(PD-PH)

To determine correct column in this parts catalog, check generator set nameplate (ONAN) for correct model and generator output. Also determine generator stack length.

DESCRIPTION	QUANTITY USED										
	A	B	C	D	E	F	G	H	J	K	
<b>PD</b> - Use Column A Up to 1000 Watt, 50 Hertz Up to 1200 Watt, 60 Hertz 1-1/2" Generator Stack Length	X										
<b>PC</b> - Use Column B 1001 through 1400 Watt, 50 Hertz 1201 through 1750 Watt, 60 Hertz 2-1/4" Generator Stack Length		X									
<b>PE</b> - Use Column C 1401 through 1600 Watt, 50 Hertz 1751 through 2000 Watt, 60 Hertz 2-1/4" Generator Stack Length			X								
<b>PF</b> - Use Column D 1601 through 2500 Watt, 50 Hertz 2001 through 3000 Watt, 60 Hertz 3" Generator Stack Length				X							
<b>PG</b> - Use Column E 2501 through 3700 Watt, 50 Hertz 3001 through 4500 Watt, 60 Hertz 4-1/2" Generator Stack Length Cast Iron Engine					X						
<b>PH</b> - Use Column F 3701 through 4500 Watt, 50 Hertz 4501 through 6000 Watt, 60 Hertz 6" Generator Stack Length						X					
<b>PK</b> - Use Column G 2501 through 3700 Watt, 50 Hertz 3001 through 4500 Watt, 60 Hertz 4-1/2" Generator Stack Length Aluminum Engine							X				




Output receptacles and Voltmeters are located in the output box attached to generator end bell on late model 60 hertz sets. Early models have the receptacles and volt-meter located in the end bell. Some models have the optional separate output box mounted on the top or side of generator. Receptacles are not furnished by Onan on the 50 Hertz sets.

Three voltage ranges are used on 50 hertz sets. Refer to ELECTRIC DATA in the OPERATOR PORTION of this manual for proper identification. The only part change between these voltage ranges is the Stator Assembly.

Reproduction or publication of this document by any means, is strictly prohibited.




## DOLLY GROUP (OPTIONAL)



REF NO.	PART NUMBER	PART DESCRIPTION	QUANTITY USED									
			A	B	C	D	E	F	G	H	J	I
	410-0640	Dolly Package - Complete				1	1	1	1			
1	516-0042	Pin, Cotter				2	2	2	2			
2	526-0219	Washer, Flat (17/32" ID x 1" OD x 1/8" Thk)				6	6	6	6			
3	410-0618	Wheel, Dolly				2	2	2	2			
4	410-0658	Axle, Dolly				1	1	1	1			
5	403-0588	Tip, Handle				2	2	2	2			
6	800-0009	Screw, Cap - Hex Head (1/4-20 x 1-1/2")				2	2	2	2			
7	870-0212	Nut, Hex (1/4")				2	2	2	2			
8	331-0112	Clamp, Handle				2	2	2	2			
9	821-0016	Screw, Cap - Hex Head - Locking (5/16-18 x 3/4")				2	2	2	2			
10	870-0257	Nut, Hex (5/16")				2	2	2	2			
11	410-0634	Clamp, Frame				2	2	2	2			
12	410-0639	Handle, Dolly				1	1	1	1			

## ENGINE AND CARRYING FRAME GROUP




# ENGINE AND CARRYING FRAME GROUP

REF NO.	PART NUMBER	PART DESCRIPTION	QUANTITY USED											
			A	B	C	D	E	F	G	H	J	K	L	M
1	ENGINE (Refer to Manufacturer for Component Parts)													
	100-1167	3 Horsepower (Briggs & Stratton Model 80232 Spec 9673-01)	1											
	100-1168	4 Horsepower (Briggs & Stratton Model 100232 Spec 0492-01)		1										
	100-1159	5 Horsepower (Briggs & Stratton Model 130232 Spec 0545-01)			1									
	100-1160	8 Horsepower (Briggs & Stratton Model 190432 Spec 0793-01)				1								
	100-1161	10 Horsepower (Briggs & Stratton Model 243432 Spec 0678-01) (Cast Iron)					1							
	100-1164	13 Horsepower (Briggs & Stratton Model 302432 Spec 0142-01)						1						
	100-1450	10 Horsepower (Briggs & Stratton Model 251412) (Aluminum)							1					
2	800-0025	Screw, Cap - Hex Head (5/16-18 x 5/8")	2	2	2									
3	850-0045	Washer, Lock - Spring (5/16")	2	2	2									
4	403-1047	Handle, Carrying - PC Spec D, PD, PE Spec A and B	1	1	1									
5	403-1173	Handle, Carrying - PC Begin Spec E, PD, PE Begin Spec C	1	1	1									
6	403-1172	Hinge, Carrying Handle - PC Begin Spec E, PD, PE Begin Spec C	2	2	2									
7	800-0021	Screw, Cap - Hex Head (1/4-20 x 4-1/2") PC Begin Spec E, PD, PE Begin Spec C	1	1	1									
8	870-0065	Nut, Hex - Self Locking - PC Begin Spec E, PD, PE Begin Spec C	1	1	1									
9	402-0425	Dampener, Vibration	4	4	4									
9	402-0420	Dampener, Vibration				4								
9	402-0421	Dampener, Vibration					4	4	4					
10	821-0014	Screw, Cap - Hex Head Locking (5/16-18 x 1/2")	4	4	4									
11	403-1044	Base, Mounting	1	1	1									
11	403-1035	Base, Mounting				1								
11	403-1036	Base, Mounting					1	1						
11	403-1256	Base, Mounting									1			
12	870-0297	Nut, Hex - Self Locking (3/8-16)				4	4	4	4					
13	526-0123	Washer, Flat (25/64" ID x 1-1/4" OD x .598 Thk)				4	4	4	4					
14	800-0030	Screw, Cap - Hex Head (5/16-18 x 1-1/4")	2	2	2									
14	800-0051	Screw, Cap - Hex Head (3/8-16 x 1-1/4")				2	2	2	2					
15	526-0022	Washer, Flat (21/64" ID x 9/16 OD x 1/16" Thk)	2	2	2									
15	526-0013	Washer, Flat (25/64" ID x 1" OD x 1/16" Thk)				2	2	2	2					
16	850-0045	Washer, Lock - Spring (5/16")	2	2	2									
16	850-0050	Washer, Lock - Spring (3/8")				2	2	2	2					
17	862-0015	Nut, Hex (5/16-18)	2	2	2									
17	862-0003	Nut, Hex (3/8-16)				2	2	2	2					


# ENGINE AND CARRYING FRAME GROUP

REF NO.	PART NUMBER	PART DESCRIPTION	QUANTITY USED										
			A	B	C	D	E	F	G	H	J	K	
18	856-0006	Washer, Lock - EIT (1/4")				2	2	2	2				
19	800-0003	Screw, Cap - Hex Head (1/4-20 x 1/2")				1	1	1	1				
20	337-0097	Strap, Ground				1	1	1	1				
21	800-0009	Screw, Cap - Hex Head (1/4-20 x 1-1/2")				1	1	1	1				
22	862-0001	Nut, Hex (1/4-20)				1	1	1	1				
23	403-1098	Frame, Carrying				1							
23	403-1097	Frame, Carrying					1	1	1				
24	505-0107	Nipple, Pipe - Exhaust (1 x 2")								1			

**Power  
Generation**

Redistribution or publication of this document  
by any means, in any form, is strictly prohibited.

**GENERATOR GROUP**



## GENERATOR GROUP

REF NO.	PART NUMBER	PART DESCRIPTION	QUANTITY USED									
			A	B	C	D	E	F	G	H	J	K
1		End Bell Assembly (See Separate Group)	1	1	1	1	1	1	1			
2	800-0017	Screw, Cap - Hex Head (1/4-20 x 3-1/2")	4									
2	800-0021	Screw, Cap - Hex Head (1/4-20 x 4-1/2")		4	4							
2	800-0187	Screw, Cap - Hex Head (1/4-20 x 5-1/2")				4						
2	800-0188	Screw, Cap - Hex Head (1/4-20 x 6-1/2")					4		4			
2	800-0189	Screw, Cap - Hex Head (1/4-20 x 8")						4				
3	856-0006	Washer, Lock - EIT (1/4")	1	1	1	1	1	1	1			
4	332-0142	Terminal, Lug - Solderless	1	1	1	1	1	1	1			
5	323-0849	Housing, Tab Connector (PC Spec B, PD, PE, PF, PG, PH Spec A and B)	1	1	1	1	1	1	1			
6	STATOR ASSEMBLY, WOUND											
	220-2392	100/200 Volt, 50 Hertz ▲	1									
	220-2393	100/200 Volt, 50 Hertz ▲		1	1							
	220-2394	100/200 Volt, 50 Hertz ▲				1						
	220-2395	100/200 Volt, 50 Hertz ▲					1					
	220-2396	100/200 Volt, 50 Hertz ▲						1				
	220-2554	100/200 Volt, 50 Hertz ●	1									
	220-2555	100/200 Volt, 50 Hertz ●		1	1							
	220-2556	100/200 Volt, 50 Hertz ●				1						
	220-2557	100/200 Volt, 50 Hertz ●					1		1			
	220-2558	100/200 Volt, 50 Hertz ●						1				
	220-2093	110/220 Volt, 50 Hertz ▲	1									
	220-2094	110/220 Volt, 50 Hertz ▲		1	1							
	220-2095	110/220 Volt, 50 Hertz ▲				1						
	220-2096	110/220 Volt, 50 Hertz ▲					1					
	220-2097	110/220 Volt, 50 Hertz ▲						1				
	220-2562	110/220 Volt, 50 Hertz ●	1									
	220-2563	110/220 Volt, 50 Hertz ●		1	1							
	220-2564	110/220 Volt, 50 Hertz ●				1						
	220-2565	110/220 Volt, 50 Hertz ●					1		1			
	220-2566	110/220 Volt, 50 Hertz ●						1				
	220-2323	120/240 Volt, 50 Hertz ▲	1									
	220-2324	120/240 Volt, 50 Hertz ▲		1	1							
	220-2325	120/240 Volt, 50 Hertz ▲				1						
	220-2326	120/240 Volt, 50 Hertz ▲					1					
	220-2327	120/240 Volt, 50 Hertz ▲						1				
	220-2570	120/240 Volt, 50 Hertz ●	1									
	220-3571	120/240 Volt, 50 Hertz ●		1	1							
	220-2572	120/240 Volt, 50 Hertz ●				1						
	220-2573	120/240 Volt, 50 Hertz ●					1		1			
	220-2574	120/240 Volt, 50 Hertz ●						1				
	220-1949	120 Volt and 120/240 Volt, 60 Hertz ▲	1									
	220-1950	120 Volt and 120/240 Volt, 60 Hertz ▲		1	1							
	220-1951	120/240 Volt, 60 Hertz ▲				1						

▲ - These parts are applicable to PC Spec D and PD, PE, PF, PG, PH Spec A and B.

● - These parts are applicable to PC Begin Spec E and PD, PE, PF, PG, PH, PK Begin Spec C.




# GENERATOR GROUP

REF NO.	PART NUMBER	PART DESCRIPTION	QUANTITY USED									
			A	B	C	D	E	F	G	H	J	
	220-1952	120/240 Volt, 60 Hertz▲					1					
	220-1953	120/240 Volt, 60 Hertz▲						1				
	220-2472	120 Volt and 120/240 Volt, 60 Hertz●	1									
	220-2473	120 Volt and 120/240 Volt, 60 Hertz●		1	1							
	220-2474	120/240 Volt, 60 Hertz●				1						
	220-2475	120/240 Volt, 60 Hertz●					1		1			
	220-2476	120/240 Volt, 60 Hertz●						1				
7	231-0193	Adapter, Generator	1	1	1	1						
7	231-0195	Adapter, Generator					1	1	1			
8	870-0271	Nut, Internal Wrenching (5/16-18)	1	1	1	1	1	1	1			
9	202-0674	Sleeve, Shaft	1	1	1	1	1	1	1			
10	520-0806	Stud, Rotor Through (5/16 x 4-13/16")	1									
10	520-0807	Stud, Rotor Through (5/16 x 5-9/16")		1	1							
10	520-0825	Stud, Rotor Through (5/16 x 7-9/16")				1	1		1			
10	520-0826	Stud, Rotor Through (5/16 x 9-1/16")						1				
11	201-2020	Rotor Assembly	1									
11	201-2021	Rotor Assembly		1	1							
11	201-2022	Rotor Assembly				1						
11	201-2023	Rotor Assembly					1		1			
11	201-2024	Rotor Assembly						1				
12	801-0027	Screw, Cap - Hex Head (5/16-24 x 7/8")	4	4	4	4						
12	800-0049	Screw, Cap - Hex Head (3/8-16 x 7/8")					4	4	4			
13	854-0017	Washer, Lock - IT (5/16")	4	4	4	4						
13	854-0021	Washer, Lock - IT (3/8")					4	4	4			
14	862-0001	Nut, Machine - Hex (1/4-20)	4	4	4	4	4	4	4			
15	850-0040	Washer, Lock - Spring (1/4")	4	4	4	4	4	4	4			
16	814-0226	Screw, Flat Head					4	4	4			
17	231-0173	Adapter, Engine					1	1	1			
18	202-0699	Adapter, Shaft					1	1	1			

▲ - These parts are applicable to PC Spec D and PD, PE, PF, PG, PH Spec A and B.

● - These parts are applicable to PC Begin Spec E and PD, PE, PF, PG, PH, PK Begin Spec C.

**END BELL GROUP**  
**PC—Begin Spec E**  
**PD, PE, PF, PG, PH, PK—Begin Spec C**  
**NOTE: See separate Group for earlier Specs.**






















**END BELL GROUP**  
**PC—Begin Spec E**  
**PD, PE, PF, PG, PH, PK—Begin Spec C**  
**NOTE: See separate Group for earlier Specs.**

REF NO.	PART NUMBER	PART DESCRIPTION	QUANTITY USED										
			A	B	C	D	E	F	G	H	J	K	
1	211-0266	Bell Assembly, End (Includes Parts Marked *)	1	1	1	1	1	1	1				
2	211-0238	Bell Only, End*	1	1	1	1	1	1	1				
3	516-0182	Pin, Locating - End Bell*	4	4	4	4	4	4	4				
4	510-0107	Bearing, Roller*	1	1	1	1	1	1	1				
5	356-0056	Capacitor*	1	1	1	1	1	1	1				
6	312-0194	Bracket, Capacitor Mounting*	1	1	1	1	1	1	1				
7	815-0395	Screw, Tapping - Pan Head (#6 x 3/8")*	1	1	1	1	1	1	1				
8	212-1249	Guide, Brush*	1	1	1	1	1	1	1				
9	214-0099	Brush, Alternator*	2	2	2	2	2	2	2				
10	332-1564	Terminal Tab*	1	1	1	1	1	1	1				
11	815-0395	Screw, Tapping - Pan Head (#6 x 3/8")*	2	2	2	2	2	2	2				
12	815-0388	Screw, Tapping - Pan Head (#6 x 1/2")*	2	2	2	2	2	2	2				
13	232-2697	Bracket and Terminal Assembly*	1	1	1	1	1	1	1				
14	815-0395	Screw, Tapping - Pan Head (#6 x 3/8")*	2	2	2	2	2	2	2				
15	305-0548	Rectifier, Bridge*	1	1	1	1	1	1	1				
16	815-0198	Screw, Machine - Round Head (#8-32 x 5/8")*	1	1	1	1	1	1	1				
17	234-0526	Cover, Protection	1	1	1	1	1	1	1				
18	815-0340	Screw, Cap - Hex Head - Tapping (#10 x 3/8")	2	2	2	2	2	2	2				
19		Receptacle Box Assembly - See Separate Group	1	1	1	1	1	1	1				

# END BELL RECEPTACLE BOX GROUP (60 HERTZ)

PC—Begin Spec E  
PD, PE, PF, PG, PH, PK—Begin Spec C




# RECEPTACLE BOX GROUP (60 Hertz)

PC Begin Spec E

PD, PE, PF, PG, PH, PK Begin Spec C

REF NO.	PART NUMBER	PART DESCRIPTION	QUANTITY USED									
			A	B	C	D	E	F	G	H	J	
1	BOX ASSEMBLY, RECEPTACLE											
	323-0969	With two 120 Volt Duplex Receptacles (Includes Parts Marked a)	1	1	1							
	323-0970	With two 120 Volt Duplex Receptacles and Voltmeter (Includes Parts Marked b)	1	1	1							
	323-0953	With two 120 Volt Duplex Receptacles, Voltmeter and two 15 amp Circuit Breakers (Includes Parts Marked c)	1	1	1							
	323-0923	With two 120 Volt Duplex Receptacles and two 15 Amp Circuit Breakers (Includes Parts Marked d)	1	1	1							
	323-0967	With one 120 Volt and one 240 Volt Duplex Receptacles (Includes Parts Marked e)				1	1	1	1			
	323-0924	With one 120 Volt and one 240 Volt Duplex Receptacles and three 15 amp Circuit Breakers (Includes Parts Marked f)				1	1	1	1			
	323-0954	With one 120 Volt and one 240 Volt Duplex Receptacles, Voltmeter, and three 15 amp Circuit Breakers (Includes Parts Marked g)				1	1	1	1			
	323-0968	With one 120 Volt and one 240 Volt Duplex Receptacles and Voltmeter (Includes Parts Marked h)				1	1	1	1			
	323-0975	With one 120 Volt Duplex and one 20 amp, 120/240 Volt, 3 Wire Twistlock Receptacles, one 15 amp and two 25 amp Circuit Breakers (Includes Parts Marked j)				1	1	1	1			
	323-0976	With one 120 Volt Duplex and one 20 amp, 120/240 Volt, 3 Wire Twistlock Receptacles, Voltmeter, one 15 amp and two 25 amp Circuit Breakers (Includes Parts Marked k)				1	1	1	1			
	323-0973	With one 120 Volt Duplex and one 20 amp, 120/240 Volt, 3 Wire Twistlock Receptacles (Includes Parts Marked l)				1	1	1	1			
	323-0972	With one 120 Volt Duplex and one 20 amp, 120/240 Volt, 3 Wire Twistlock Receptacles and Voltmeter (Includes Parts Marked m)				1	1	1	1			
	323-0965	With one 120 Volt Duplex and one 20 amp, 120/240 Volt, 4 Wire, Twistlock Receptacles (Includes Parts Marked n)				1	1	1	1			
	323-0961	With one 120 Volt Duplex and one 20 amp, 120/240 Volt, 4 Wire Twistlock Receptacles and Voltmeter (Includes Parts Marked p)				1	1	1	1			
	323-0960	With one 120 Volt Duplex and one 20 amp, 120/240 Volt, 4 Wire Twistlock Receptacles, Voltmeter, one 15 amp and two 20 amp Circuit Breakers (Includes Parts Marked a)										




Redistribution or publication of this document by any means is strictly prohibited.

# RECEPTACLE BOX GROUP (60 HERTZ)

PC Begin Spec E

PD, PE, PF, PG, PH, PK Begin Spec C

REF NO.	PART NUMBER	PART DESCRIPTION	QUANTITY USED									
			A	B	C	D	E	F	G	H	J	
	323-0951	With one 120 Volt Duplex and one 30 Amp, 120/240 Volt, 4 Wire Twistlock Receptacles, one 15 Amp and two 25 Amp Circuit Breakers (Includes Parts Marked r)				1	1	1	1			
	323-0955	With one 120 Volt Duplex and one 30 Amp, 120/240 Volt, 4 Wire Twistlock Receptacles, Voltmeter, one 15 Amp and two 30 Amp Circuit Breakers (Includes Parts Marked s)				1	1	1	1			
	323-0956	With one 120 Volt Duplex and one 30 Amp, 120/240 Volt, 4 Wire Twistlock Receptacles, Voltmeter, one 15 Amp and two 25 Amp Circuit Breakers (Includes Parts Marked t)				1	1	1	1			
	323-0962	With one 120 Volt Duplex and one 30 Amp, 120/240 Volt, 4 Wire Twistlock Receptacles and Voltmeter (Includes Parts Marked u)				1	1	1	1			
	323-0964	With one 120 Volt Duplex and one 30 Amp, 120/240 Volt, 4 Wire Twistlock Receptacles (Includes Parts Marked v)				1	1	1	1			
	323-0925	With one 120 Volt Duplex, one 20 Amp, 240 Volt, 3 Wire Twistlock and one 30 Amp, 120 Volt, 3 Wire Twistlock Receptacles, one 15 Amp, one 30 Amp and two 20 Amp Circuit Breakers (Includes Parts Marked w)				1	1	1	1			
	323-0959	With one 20 Amp, 240 Volt Twistlock Receptacle (Includes Parts Marked x)				1	1	1	1			
	BOX, RECEPTACLE											
2	301-3916	With Holes for two Duplex Receptacles and two Circuit Breakers a d f e	As Required									
3	301-3915	With Holes for one Duplex Receptacle, two Single Receptacles (1.61" Diameter and 1.75" Diameter and Four Circuit Breakers w	As Required									
4	301-3824	With Holes for one Duplex Receptacle, one Single Receptacle (1.75" Diameter) and three Circuit Breakers n r v	As Required									
4	301-3987	With Holes for one Duplex Receptacle, one Single Receptacle (1.437" Diameter) and three Circuit Breakers j l	As Required									
5	301-3872	With Holes for two Duplex Receptacles, two Circuit Breakers and Voltmeter b c g h	As Required									
6	301-3873	With Holes for one Duplex Receptacle, one Single Receptacle (1.75" Diameter) three Circuit Breakers and Voltmeter p q s t u	As Required									



Power  
Generation

Redistribution or publication of this document  
by any means is strictly prohibited

As Required

As Required

As Required

As Required

As Required

# RECEPTACLE BOX GROUP (60 HERTZ)

PC Begin Spec E

PD, PE, PF, PG, PH, PK Begin Spec C

REF NO.	PART NUMBER	PART DESCRIPTION	QUANTITY USED									
			A	B	C	D	E	F	G	H	I	J
6	301-3988	With Holes for one Duplex Receptacle, one Single Receptacle (1.437" Diameter), three Circuit Breakers and Voltmeter k m										
7	301-3875	With Hole for Single Receptacle (1.625" Diameter) x										
8	323-0383	Duplex (120 Volt) Parallel Blades - a b c d e f g h j k l m n p q r s t u v w										
9	323-0213	Duplex (240 Volt) Tandem Blades e f g h										
10	323-0854	Twistlock (30 Amp, 120 Volt, 3 Wire) w										
11	323-0855	Twistlock (20 Amp, 240 Volt, 3 Wire) w										
12	323-0943	Twistlock (30 Amp, 120/240 Volt, 4 Wire) r s t u v										
13	323-0856	Twistlock (20 Amp, 120/240 Volt, 4 Wire) n p q										
14	323-0091	Twistlock (20 Amp, 240 Volt, 4 Wire) x										
15	323-0971	Twistlock (20 Amp, 120/240 Volt, 3 Wire) j k l m										
16	812-0061	Screw, Machine - Round Head (#6-32 x 3/8") a b c d e f g h j k l m n p q r s t u v w x										
17	323-0869	Strap, Ground a b c d e f g h j k l m n p q r s t u v w x										
18	BREAKER, CIRCUIT											
	320-0540	15 Ampere c d f g j k q r t u v										
	320-0541	20 Ampere q v										
	320-0542	25 Ampere j k r t										
	320-0543	30 Ampere s w										
19	302-1031	Voltmeter, AC b c g h k m p q s t u										
20	332-0556	Connector, Faston a b h l m n p u v										
21	815-0340	Screw, Cap - Hex Head (#10-32 x 3/8")	4	4	4	4	4	4	4	4		

NOTE: Several variations of the receptacle box are listed in this group. The generators can be connected in parallel or series to get single or dual voltage operation. Throughout this group, alphabetical letters are used to identify components of the various receptacle box assemblies. See individual box assemblies listed for code letter on component parts.



Power Generation




Redistribution or publication of this document by any means, is strictly prohibited.

## END BELL GROUP

PC-Spec D

PD, PE, PF, PG, PH-Spec A and B

NOTE: See separate groups for later specs.






**END BELL GROUP**  
**PC-Spec D**  
**PD, PE, PF, PG, PH-Spec A and B**  
**NOTE: See separate groups for later specs.**

REF NO.	PART NUMBER	PART DESCRIPTION	QUANTITY USED									
			A	B	C	D	E	F	G	H	J	
1	211-0243	End Bell Assembly - 120 Volt Sets (Includes Parts Marked *)	1	1	1							
2	211-0257	End Bell Assembly with Optional Voltmeter- 120 Volt Sets (Includes Parts Marked Δ)	1	1	1							
3	211-0247	End Bell Assembly - 120/240 Volt Sets (Includes Parts Marked †)				1	1	1	1			
4	211-0258	End Bell Assembly with Optional Voltmeter- 120/240 Volt Sets (Includes Parts Marked £)				1	1	1	1			
5	211-0245	End Bell Assembly - 120/240 Volt Sets With separate Receptacle Box - Optional on 60 Hertz and Standard on 50 Hertz Sets (Includes Parts Marked •)				1	1	1	1			
6	211-0238	End Bell Housing *Δ†£•	1	1	1	1	1	1	1			
7	516-0182	Pin, Locating *Δ†£•	4	4	4	4	4	4	4			
8	312-0194	Bracket, Capacitor Mounting *Δ†£•	1	1	1	1	1	1	1			
9	356-0056	Capacitor *Δ†£•	1	1	1	1	1	1	1			
10	815-0395	Screw, Pan Head (#6-32 x 3/8") *Δ†£•	1	1	1	1	1	1	1			
11	212-1249	Guide, Brush *Δ†£•	1	1	1	1	1	1	1			
12	214-0099	Brush, Generator *Δ†£•	2	2	2	2	2	2	2			
13	332-1564	Terminal, Lug *Δ†£•	1	1	1	1	1	1	1			
14	815-0388	Screw, Pan Head (#6-32 x 1/2") *Δ†£•	2	2	2	2	2	2	2			
15	815-0395	Screw, Pan Head (#6-32 x 3/8") *Δ†£•	4	4	4	4	4	4	4			
16	338-0716	Harness, Assembly, Wiring - 120 Volt Generator Sets (Includes Parts Marked #) *Δ	1	1	1							
16	338-0717	Harness Assembly, Wiring - 120/240 Volt Generator Sets (Includes Parts Marked †) †£				1	1	1	1			
16	338-0727	Harness Assembly, Wiring - 120/240 Volt 60 Hertz Generator Sets with Separate Receptacle Box and 50 Hertz Sets - Optional (Includes Parts Marked §) •				1	1	1	1			
17	323-0848	Connector, Plug #†§	1	1	1	1	1	1	1			
18	323-0383	Receptacle, Duplex (120 Volt) #†	2	2	2	1	1	1	1			
19	323-0213	Receptacle, Duplex (240 Volt) †				1	1	1	1			
20	558-0015	Rectifier, Diode #†§	2	2	2	2	2	2	2			
21	870-0131	Nut, Hex with Lockwasher #†§	2	2	2	2	2	2	2			
22	323-0869	Strap, Ground #†	1	1	1	1	1	1	1			
22A	332-0942	Tie, Cable *Δ†£•	3	3	3	3	3	3	3			
23	336-2220	Lead, Electrical - Capacitor to Ground *Δ†£•	1	1	1	1	1	1	1			
24	232-2464	Cover Assembly, End Bell - Generator Sets with Optional Voltmeter (Includes Parts Marked □) Δ£	1	1	1	1	1	1	1			
25	232-2439	Cover Only, End Bell - Generator Sets with Optional Voltmeter □	1	1	1	1	1	1	1			
26	302-0917	Voltmeter, Optional □Ø	1	1	1	1	1	1	1			
27	350-0131	Resistor (Part of Optional Voltmeter) □Ø	1	1	1	1	1	1	1			
28	357-0004	Diode (Part of Optional Voltmeter) □Ø	1	1	1	1	1	1	1			
29	327-0202	Lock Nut, Twin □Ø	1	1	1	1	1	1	1			

**END BELL GROUP**  
**PC-Spec D**  
**PD, PE, PF, PG, PH-Spec A and B**  
**NOTE: See separate groups for later specs.**

REF NO.	PART NUMBER	PART DESCRIPTION	QUANTITY USED									
			A	B	C	D	E	F	G	H	J	
30	815-0395	Screw, Pan Head (#6-32 x 3/8") □Ø	2	2	2	2	2	2	2			
31	510-0107	Bearing, Roller *Δ†£•	1	1	1	1	1	1	1			
32	232-2468	Cover, End Bell - Receptacle (60 Hertz Generator Sets)	1	1	1	1	1	1	1			
33	232-2449	Cover Assembly, End Bell - Generator Sets Without Receptacles in End Bell (Includes Parts Marked Ø)	1	1	1	1	1	1	1			
34	232-2440	Cover Only - End Bell - Generator Sets Without Receptacles in End Bell Ø	1	1	1	1	1	1	1			
35	815-0396	Screw, Machine - Fillister Head (#6-32 x 1/2")	2	2	2	2	2	2	2			
<div>* - Included in 211-0243 End Bell Assembly. Δ - Included in 211-0257 End Bell Assembly. † - Included in 211-0247 End Bell Assembly. £ - Included in 211-0258 End Bell Assembly. • - Included in 211-0245 End Bell Assembly. # - Included in 338-0716 Wiring Harness Assembly. ‡ - Included in 338-0717 Wiring Harness Assembly. § - Included in 338-0727 Wiring Harness Assembly. □ - Included in 232-2448 End Bell Cover Assembly. Ø - Included in 232-2449 End Bell Cover Assembly.</div>												


Power Generation

Redistribution or publication of this document




# PRINTED CIRCUIT BOARD (300-1185)

## IDLE-MATIC CONTROL



REF NO.	PART NUMBER	PART DESCRIPTION	QUANTITY USED										
			A	B	C	D	E	F	G	H	J	K	
	300-1185	Board Assembly, Printed Circuit - Complete		1	1	1	1	1	1				
C1	356-0061	Capacitor, Electrolytic (330 Mfd, 3 Volt)		1	1	1	1	1	1				
CR1	357-0004	Diode, Rectifier		1	1	1	1	1	1				
CR3	357-0004	Diode, Rectifier		1	1	1	1	1	1				
CR5	357-0004	Diode, Rectifier		1	1	1	1	1	1				
CR4	359-0036	Diode, Zener		1	1	1	1	1	1				
CR6	364-0018	Rectifier, Gate Controlled		1	1	1	1	1	1				
CR2	364-0005	Rectifier, Gate Controlled		1	1	1	1	1	1				
R2	350-0548	Resistor (10K Ohm, 1/2 Watt)		1	1	1	1	1	1				
R1	350-0557	Resistor (56K Ohm, 1/2 Watt)		1	1	1	1	1	1				
R3	350-0580	Resistor (100K Ohm, 1/2 Watt)		1	1	1	1	1	1				
R4	350-0800	Resistor (1 Ohm, 1/2 Watt)		1	1	1	1	1	1				
CT1	315-0403	Transformer		1	1	1	1	1	1				
S1	308-0367	Switch, Toggle		1	1	1	1	1	1				
P1	323-0915	Connector (Receptacle Housing)		1	1	1	1	1	1				




# **SIDE MOUNTED RECEPTACLE BOX GROUP** Standard for 50 Hertz Sets and optional for 60 Hertz Sets. PC-Begin Spec E; PD, PE, PF, PG, PH, PK-Begin Spec C.



**SIDE MOUNTED RECEPTACLE BOX GROUP**  
Standard for 50 Hertz Sets and optional for 60 Hertz Sets.  
PC-Begin Spec E; PD, PE, PF, PG, PH, PK-Begin Spec C.


REF NO.	PART NUMBER	PART DESCRIPTION	QUANTITY USED									
			A	B	C	D	E	F	G	H	J	
1	301-4072	Frame, Control	1	1	1	1	1	1				
2	301-4073	Panel, Control (Front)	1	1	1	1	1	1				
3	301-4074	Panel, Control (Rear)	1	1	1	1	1	1				
4	301-4079	Panel, Louver (Rear)	1	1	1	1	1	1				
5	COVER, CONTROL (TOP)											
	301-4080	Left Side Mount	1	1	1	1	1	1				
	301-4081	Right Side Mount	1	1	1	1	1	1				
6	232-2636	Bracket and Terminal Assembly	1	1	1	1	1	1				
7	508-0051	Grommet, Rubber	1	1	1	1	1	1				
8	854-0020	Washer, Lock - IT (3/8")	3	3	3	3	3	3				
9	815-0384	Screw, Cap - Hex Head (3/8-16 x 3/4")	2	2	2	2	2	2				
10	815-0340	Screw, Cap - Hex Head (#10-32 x 3/8")	13	13	13	13	13	13				
11	PANEL, RECEPTACLE											
	301-4077	Blank - 50 Hertz Sets	1	1	1	1						
	301-4200	Holes for Circuit Breakers only - 50 Hertz Sets					1	1				
	301-4075	Holes for 2 Duplex Receptacles, 4 Circuit Breakers and Battery Charger - 60 Hertz Sets	1	1	1	1	1	1				
	301-4076	Holes for 2 Twistlock Receptacles, one Duplex Receptacles, 4 Circuit Breakers and Battery Charger - 60 Hertz Sets	1	1	1	1	1	1				
12	323-0383	Receptacle, Duplex (120 Volt) Parallel Blades - 60 Hertz Sets		As	Required							
13	323-0213	Receptacle, Duplex (240 Volt) Tandem Blades - 60 Hertz Sets		As	Required							
14	323-0855	Receptacle - Twistlock (200 Amp, 240 Volt) - 60 Hertz Sets		As	Required							
15	323-0854	Receptacle - Twistlock (30 Amp, 125 Volt) - 60 Hertz Sets		As	Required							
16	323-0819	Strap, Ground - Receptacle - 60 Hertz Sets		As	Required							
17	332-1556	Connector, Faston - 60 Hertz Sets		As	Required							
18	517-0132	Plug, Hole (7/16")		As	Required							
19	517-0135	Plug, Hole (5/8")		As	Required							
20	BREAKER, CIRCUIT											
	320-0540	15 Ampere		As	Required							
	320-0541	20 Ampere		As	Required							
	320-0542	25 Ampere		As	Required							
	320-0543	30 Ampere		As	Required							
21	812-0061	Screw, Machine - Round Head (#6-32 x 3/8")		As	Required							

# **RECEPTACLE BOX ASSEMBLY GROUP—REMOTE (Optional)** PC-Spec D; PD, PE, PF, PG, PH-Spec A and B



**RECEPTACLE BOX ASSEMBLY GROUP—REMOTE (Optional)**  
**PC-Spec D; PD, PE, PF, PG, PH-Spec A and B**

EF O.	PART NUMBER	PART DESCRIPTION	QUANTITY USED										
			A	B	C	D	E	F	G	H	J	K	
	BOX ASSEMBLY, RECEPTACLE (60 Hertz Sets)												
	300-1094	With Fuses (Includes Parts Marked £)				1	1	1	1				
	300-1095	Without Fuses (Includes Parts Marked *)				1	1	1	1				
1	815-0396	Screw, Fillister Head (#6-32 x 1-1/2") £*				5	5	5	5				
1	815-0396	Screw, Fillister Head (#6-32 x 1-1/2") - 50 Hertz Sets				4	4	4	4				
2	301-3676	Cover, Receptacle £*				1	1	1	1				
3	301-3743	Cover, Box - 50 Hertz Sets				1	1	1	1				
4	808-0022	Screw, Machine - Round Head Tapping (#8 x 3/8") £*				6	6	6	6				
5	526-0048	Washer, Flat - Brass (.172 ID x 3/8 OD x 1/32" Thk) £*				6	6	6	6				
6	HARNESS, WIRING												
	338-0734	60 Hertz Sets With Fuses (Includes Parts Marked •) £				1	1	1	1				
	338-0733	60 Hertz Sets Without Fuses (Includes Parts Marked Δ)*				1	1	1	1				
	338-0767	50 Hertz Sets (Includes Parts Marked #)				1	1	1	1				
7	323-0873	Receptacle, Twistlock (20 Amp, 240 Volt) •Δ				1	1	1	1				
8	323-0872	Receptacle, Twistlock (30 Amp, 120 Volt) •Δ				1	1	1	1				
9	323-0383	Receptacle, Duplex (15 Amp, 120 Volt) •Δ				1	1	1	1				
10	508-0071	Grommet, Rubber •Δ#				1	1	1	1				
11	332-1563	Terminal, Flag (Right) •Δ				4	4	4	4				
12	332-1497	Terminal, Faston •Δ#				4	4	4	4				
13	332-0147	Terminal, Ring •Δ				1	1	1	1				
13	332-0325	Terminal, Ring #				1	1	1	1				
14	332-1562	Terminal, Flag - Left •Δ				2	2	2	2				
15	332-0941	Tie, Cable (7-1/4") •Δ#				1	1	1	1				
15	332-0942	Tie, Cable (3-1/2") •Δ				4	4	4	4				
16	323-0869	Strap, Ground •Δ				1	1	1	1				
17	321-0200	Fuse, Cartridge (20 Amp) £				1	1	1	1				
18	321-0199	Fuse, Cartridge (15 Amp) £				1	1	1	1				
19	321-0201	Fuse, Cartridge (30 Amp) £				1	1	1	1				
20	808-0022	Screw, Machine - Round Head Tapping (#8 x 3/8") £				6	6	6	6				
21	321-0198	Holder, Fuse £				3	3	3	3				
22	815-0395	Screw, Machine - Pan Head (#6 x 3/8") £				3	3	3	3				
23	301-3648	Bracket, Receptacle (Sets With Fuses) £				1	1	1	1				
24	301-3672	Bracket, Receptacle (50 and 60 Hertz Sets Without Fuses)*				1	1	1	1				
25	301-3649	Box, Receptacle (50 and 60 Hertz Sets) £*				1	1	1	1				
26	821-0009	Screw, Cap - Hex Head (1/4-20 x 3/8") (50 and 60 Hertz Sets) £*				4	4	4	4				
27	323-0876	Bracket, Box Mounting (50 and 60 Hertz Sets) £*				2	2	2	2				
28	232-2433	Cover, End Bell (50 and 60 Hertz Sets) £*				1	1	1	1				





Power  
Generation

Redistribution or publication of this document  
by any means is strictly prohibited

**RECEPTACLE BOX ASSEMBLY GROUP—REMOTE (Optional)**  
**PC-Spec D; PD, PE, PF, PG, PH-Spec A and B**

REF NO.	PART NUMBER	PART DESCRIPTION	QUANTITY USED									
			A	B	C	D	E	F	G	H	J	
29	815-0397	Screw, Flat Head Cross Recessed										
		(#6 x 1/2") (50 and 60 Hertz Sets) £*				4	4	4	4			
30	332-1554	Clamp, Harness (50 and 60 Hertz Sets) £*				1	1	1	1			

## BATTERY CHARGER AND RUNNING LIGHT GROUP (OPTIONAL)



## BATTERY CHARGER AND RUNNING LIGHT GROUP—OPTIONAL

NOTE: Some parts in this group do not apply to PC Begin Spec E and all other models Begin Spec C with the side mounted receptacle box.

			QUANTITY USED									
REF NO.	PART NUMBER	PART DESCRIPTION	A	B	C	D	E	F	G	H	J	
	305-0540	Charger Package, Battery - Complete with Mounting Hardware (Includes Parts Marked £)	1	1	1	1	1	1	1			
1	305-0527	Charger, Battery (Includes Parts Marked *) £	1	1	1	1	1	1	1			
2	815-0048	Screw, Machine - Round Head (#10-32 x 3/8")*	2	2	2	2	2	2	2			
3	232-2436	Cover, Charger*	1	1	1	1	1	1	1			
4	358-0059	Diode and Fuse Holder Assembly (Includes Parts Marked Δ)	1	1	1	1	1	1	1			
5	321-0203	Holder Assembly, Fuse (Includes Fuse) Δ	1	1	1	1	1	1	1			
6	321-0127	Fuse, Cartridge (15 Amp) Δ	1	1	1	1	1	1	1			
7	332-1497	Terminal, Lug - Faston Δ	1	1	1	1	1	1	1			
8	358-0016	Rectifier, Diode Δ	1	1	1	1	1	1	1			
9	232-2437	Bracket, Battery Charger Terminals*	1	1	1	1	1	1	1			
10	232-2438	Spacer, Threaded*	1	1	1	1	1	1	1			
11	870-0053	Nut, Hex (#10-32)*	2	2	2	2	2	2	2			
12	332-1575	Strip, Terminal*	1	1	1	1	1	1	1			
13	332-0785	Post, Binding - Red*	1	1	1	1	1	1	1			
14	332-0784	Post, Binding - Black*	1	1	1	1	1	1	1			
15	815-0333	Screw, Machine - Round Head (#10 x 1/2")*	2	2	2	2	2	2	2			
16	332-0942	Tie, Cable £	1	1	1	1	1	1	1			
17	870-0053	Nut, Hex (#10-32) £	2	2	2	2	2	2	2			
18	853-0008	Washer, Lock - ET £	2	2	2	2	2	2	2			
19	191-1074	Bracket, Mounting £	1	1	1	1	1	1	1			
20	336-2269	Lead Assembly (Includes Terminals) £	1	1	1	1	1	1	1			
21	332-1497	Terminal, Lug - Faston £	2	2	2	2	2	2	2			
22	332-0556	Connector, Splice - Faston	1	1	1	1	1	1	1			
23	305-0537	Cable Assembly (Includes Parts Marked †)	1	1	1	1	1	1	1			
24	332-0942	Tie, Cable †	2	2	2	2	2	2	2			
25	323-0888	Plug, Banana †	1	1	1	1	1	1	1			
26	323-0889	Plug, Banana †	1	1	1	1	1	1	1			
27	332-1446	Clip, Battery †	2	2	2	2	2	2	2			
28	332-1448	Insulator, Sleeve - Black †	1	1	1	1	1	1	1			
29	332-1447	Insulator, Sleeve - Red †	1	1	1	1	1	1	1			
30	322-0159	Light Package, Running	1	1	1	1	1	1	1			

£ - Included in 305-0540 Charger Package.



\* - Included in 305-0527 Battery Charger.

Δ - Included in 358-0059 Diode and Fuse Holder Assembly.

† - Included in 305-0537 Cable Assembly.



## IDLE-MATIC CONTROL (Optional)




# **IDLE-MATIC CONTROL — OPTIONAL**

REF NO.	PART NUMBER	PART DESCRIPTION	QUANTITY USED									
			A	B	C	D	E	F	G	H	J	
1	150-1491	Sensor Assembly, Speed Control (Includes Parts Marked *)		1	1	1	1	1	1			
2	301-3798	Plate, Base - Sensor Assembly*		1	1	1	1	1	1			
3	301-3791	Cover, Speed Sensor Assembly*		1	1	1	1	1	1			
4	300-1185	Printed Circuit Board - Sensor Assembly (See Separate Group for Components)*		1	1	1	1	1	1			
5	812-0065	Screw, Machine - Round Head (#6-32 x 5/8")*		4	4	4	4	4	4			
6	850-0020	Washer, Lock - Spring (#6)*		4	4	4	4	4	4			
7	526-0003	Washer, Flat (11/64" ID x 3/8" OD x 1/32" Thk)		2	2	2	2	2	2			
8	307-1392	Bracket, Solenoid Mounting		1	1	1						
9	307-1393	Bracket, Solenoid Mounting					1	1	1			
10	307-1391	Solenoid		1	1	1	1	1	1			
11	307-1403	Link, Solenoid to Carburetor		1	1							
12	307-1400	Link, Solenoid to Carburetor				1						
13	307-1394	Link, Solenoid to Carburetor					1	1	1			
14	HARNESS, WIRING											
	338-0944	PC Spec D, PE, PF, PG, PH Spec A and B		1	1	1	1	1	1			
	338-0904	PC Begin Spec E, PE, PF, PG, PH, PK Begin Spec C		1	1	1	1	1	1			
15	332-0820	Tic, Cable		2	2	2	2	2	2			
16	307-1406	Bracket, Sensor Mounting		1	1	1	1	1	1			
17	301-3870	Bracket, Plug Retainer		1	1	1	1	1	1			
18	800-0004	Screw, Cap - Hex Head (1/4-20 x 5/8")		2	2	2	2	2	2			
19	850-0040	Washer, Lock - Spring (1/4")		2	2	2	2	2	2			
20	862-0001	Nut, Hex (1/4-20)		2	2	2	2	2	2			
21	508-0190	Bushing, Strain Relief - PC Begin Spec E, PE, PF, PG, PH, PK Begin Spec C		1	1	1	1	1	1			

\* - Parts Included in 150-1491 Sensor Assembly.

## SERVICE KITS AND MISCELLANEOUS

REF NO.	PART NUMBER	PART DESCRIPTION	QUANTITY USED									
			A	B	C	D	E	F	G	H	J	
	525-0137	Paint, Touch-up Enamel (Green) 16 oz.	1	1	1	1	1	1	1			
	412-0004	Cover, Canvas	1	1	1	1	1	1	1			

**Power  
Generation**

Redistribution or publication of this document  
by any means is strictly prohibited.

SUPPLEMENT INDEX FOR "P" SERIES - 919-0305

SUPPLEMENT NO.	DATE	FICHE LOCATION
919-1023	06/78	1E3
919-1025	06/78	1E5

919-1023(9-77)  
Supplementary Parts List

These Parts apply to the "P" Series Generator Sets Operators Manual and Parts Catalog 919-0305 Beginning Spec F. Also Contractor Models Listed Below Beginning Spec F. Use these Parts in addition or in place of those listed in Main Parts Catalog.

GENERATING SET DATA TABLE


DESCRIPTION	QUANTITY USED										
	A	B	C	D	E	F	G	H	J	K	
PF =				X							
PH =						X					
PK =							X				
CONSTRUCTOR'S MODELS											

GENERATOR GROUP

REF NO.	PART NUMBER	PART DESCRIPTION	QUANTITY USED										
			A	B	C	D	E	F	G	H	J	K	
6	220-2955	Stator Assembly, Wound		1	1								

## RECEPTACLE BOX GROUP (60 HERTZ)


REF NO.	PART NUMBER	PART DESCRIPTION	QUANTITY USED									
			A	B	C	D	E	F	G	H	J	
1	BOX ASSEMBLY, RECEPTACLE 323-1070 Begin Spec F 323-0944 Constructor's Sets BOX RECEPTACLE											
4	301-3824	With Holes for One 15 Amp, 125 Volt Duplex Receptacle, one 30 Amp, 125/250 Volt Twistlock Receptacle, two 15 Amp Circuit Breakers and two 30 Amp Circuit Breakers (Constructor's Sets)										
7A	301-1070	With Holes for two 15 Amp, 125 Volt Duplex Receptacles and four 15 Amp Circuit Breakers - Begin Spec F										
8	RECEPTACLE, OUTPUT - DUPLEX 323-0383 Constructor's Sets 323-0383 Begin Spec F											
12	RECEPTACLE, OUTPUT - TWISTLOCK 323-0943 Constructor's Sets											
16	SCREW, MACHINE - ROUNDHEAD 812-0061 Constructor's Sets 812-0061 Begin Spec F											
17	STRAP, GROUND 323-0869 Constructor's Sets 323-0869 Begin Spec F											
18	BREAKER, CIRCUIT 320-0540 Begin Spec F 320-0540 Constructor's Sets 320-0543 Constructor's Sets											
22	332-0941	Tie, Cable - Constructor's Sets										



Redistribution or publication of this document by any means is strictly prohibited.

919-1025  
SUPPLEMENTARY PART LIST (2-78)

Parts in this list apply to the newly introduced PM model. This model is very similar to the discontinued PH model. Use these parts in place of or in addition to those listed in the quantity used column F in the main parts catalog 919-0305. Parts that are similar in appearance are not illustrated.



ENGINE AND CARRYING FRAME GROUP

REF. NO.	PART NO.	PART DESCRIPTION	QTY. USED
1	100-1567	Engine, 16 Horsepower (Briggs and Stratton model 326431) (Refer to Manufacturer for Component Parts)	1
25	155-1564	Muffler, Exhaust	1
26	505-0041	Elbow, Pipe - Exhaust (1" x 90°)	1
27	505-0004	Nipple, Pipe - Exhaust (1 x 1½")	1
28	505-0086	Nipple, Pipe - Exhaust (1 x 2½")	1
29	331-0053	Nut, Locking (1")	4

Operation specifications for the new PM model (Briggs and Stratton model 326431) are the same as those currently shown for the PH model except for displacement and cylinder bore.

PM displacement is 32.04 cubic inches and cylinder bore is 3.56 inches.

## SPECIAL PARTS LIST INDEX FOR FORM NO. 717-0303

MODEL	SPEC.	DATED	FICHE LOCATION
1.0PD-1P	1A	09/01/79 ***	2 A1
1.0PD-3P	1A	09/01/79 ***	2 A1
1.0PD-53BP	1A	09/01/79 ***	2 A3
1.0PD-53CP	1A	09/01/79 ***	2 A3
1.2PD-1P	1A	09/01/79 ***	2 A5
1.2PD-3P	1A	09/01/79 ***	2 A5
1.6PE-53BP	1A	09/01/79 ***	2 A7
1.6PE-53CP	1A	09/01/79 ***	2 A7
2.0PE-1P	1A	09/01/79 ***	2 A9
2.0PE-3P	1A	09/01/79 ***	2 A9
2.5PF-53AP	1A	09/01/79 ***	2 A11
2.5PF-53BP	1A	09/01/79 ***	2 A11
2.5PF-53CP	1A	09/01/79 ***	2 A13
3.0PF-3P	1A	09/01/79 ***	2 A13
3.5PF-3P	1A	09/01/79 ***	2 B1
3.7PG-53BP	1A	09/01/79 ***	2 B1
3.7PG-53CP	1A	09/01/79 ***	2 B3
4.0PG-3P	1A	09/01/79 ***	2 B3
4.5PG-3P	1A	09/01/79 ***	2 B5
4.5PH-53AP	1A	09/01/79 ***	2 B5
4.5PH-53BP	1A	09/01/79 ***	2 B7
4.5PH-53CP	1A	09/01/79 ***	2 B7
4.5PH-57P	1A	09/01/79 ***	2 B9
5.0PH-3P	1A	09/01/79 ***	2 B9
5.5PH-3P	1A	09/01/79 ***	2 B11
6.0PH-3P	1A	09/01/79 ***	2 B11
3.7PG-53AP	1B	09/01/79 ***	2 B13
3.7PG-53BP	1B	09/01/79 ***	2 B13
3.7PG-53CP	1B	09/01/79 ***	2 C1
4.5PG-3P	1B	09/01/79 ***	2 C1
1.2PD-1P	1C	09/01/79 ***	2 C3
1.6PE-53BP	1C	09/01/79 ***	2 C3
1.6PE-53CP	1C	09/01/79 ***	2 C5
2.0PE-1P	1C	09/01/79 ***	2 C5
2.5PF-53BP	1C	09/01/79 ***	2 C7
2.5PF-53CP	1C	09/01/79 ***	2 C7
3.0PF-3P	1C	09/01/79 ***	2 C9
3.7PG-53BP	1C	09/01/79 ***	2 C9
3.7PG-53CP	1C	09/01/79 ***	2 C11
3.7PK-53BP	1C	09/01/79 ***	2 C11
3.7PK-53CP	1C	09/01/79 ***	2 C13
3.7PN-53BP	1C	09/01/79 ***	2 C13
3.7PN-53CP	1C	09/01/79 ***	2 D1
4.5PG-3P	1C	09/01/79 ***	2 D1
4.5PH-53BP	1C	09/01/79 ***	2 D3
4.5PH-53CP	1C	09/01/79 ***	2 D3
4.5PM-53BP	1C	09/01/79 ***	2 D5
4.5PM-53CP	1C	09/01/79 ***	2 D5
4.5PM-57P	1C	09/01/79 ***	2 D7
5.5PH-3P	1C	09/01/79 ***	2 D7
5.5PM-3P	1C	09/01/79 ***	2 D9
1.4PC-53BP	1D	09/01/79 ***	2 D9
1.4PC-53CP	1D	09/01/79 ***	2 D11
1.7PC-1P	1D	09/01/79 ***	2 D11



## SPECIAL PHOTO LISTED INDEX FOR FORM NO. 717-0000

MODEL	SPEC.	DATED	FICHE LOCATION
1.7PC-3P	1D	09/01/79 ***	2 D13
1.4PC-53BP	1E	09/01/79 ***	2 D13
1.4PC-53CP	1E	09/01/79 ***	2 E1
1.7PC-1P	1E	09/01/79 ***	2 E1
1.7PC-1P	1F	09/01/79 ***	2 E3
2.0PE-1P	1F	09/01/79 ***	2 E3
3.0PF-1P	1F	09/01/79 ***	2 E5
3.0PF-3P	1F	09/01/79 ***	2 E5
4.5PK-1P	1F	09/01/79 ***	2 E7
4.5PK-3P	1F	09/01/79 ***	2 E7
5.5PH-1P	1F	09/01/79 ***	2 E9
5.5PH-3P	1F	09/01/79 ***	2 E9
5.5PM-1P	1F	09/01/79 ***	2 E11
5.5PM-3P	1F	09/01/79 ***	2 E11
4.0PG-3P	8000A	09/01/79 ***	2 E13
1.7PC-1P	8000F	09/01/79 ***	2 E13
2.0PE-1P	8000F	09/01/79 ***	2 F1
3.0PF-3P	8000F	09/01/79 ***	2 F1
4.5PK-3P	8000F	09/01/79 ***	2 F3
5.5PM-3P	8000F	09/01/79 ***	2 F3
2.0PE-1P	8200A	09/01/79 ***	2 F5
3.0PF-3P	8200A	09/01/79 ***	2 F5
4.5PG-3P	8200B	09/01/79 ***	2 F7
2.0PE-1P	8200C	09/01/79 ***	2 F7
3.0PF-3P	8200C	09/01/79 ***	2 F9
1.7PC-1P	8200D	09/01/79 ***	2 F9
1.7PC-1P	8200E	09/01/79 ***	2 F11
1.7PC-1P	8200F	09/01/79 ***	2 F11
2.0PE-1P	8200F	09/01/79 ***	2 F13
3.0PF-1P	8200F	09/01/79 ***	2 F13
4.5PK-1P	8200F	09/01/79 ***	2 G1
5.5PH-1P	8200F	09/01/79 ***	2 G1
5.5PM-1P	8200F	09/01/79 ***	2 G3
2.0PE-1P	9900A	09/01/79 ***	2 G3
3.0PF-3P	9900A	09/01/79 ***	2 G5
4.0PG-3P	9900A	09/01/79 ***	2 G5
5.0PH-3P	9900A	09/01/79 ***	2 G7
6.0PH-3P	9900A	09/01/79 ***	2 G7
1.7PC-1P	9900D	09/01/79 ***	2 G9
2.0PE-1P	13033A	09/01/79 ***	2 G9
3.0PF-3P	13034A	09/01/79 ***	2 G11
4.0PG-3P	13034A	09/01/79 ***	2 G11
2.0PE-1P	13570A	09/01/79 ***	2 G13
1.5PC-1P	13570D	09/01/79 ***	2 G13
3.0PF-3P	13571A	09/01/79 ***	3 A1
4.0PG-3P	13571A	09/01/79 ***	3 A1
4.0PK-3P	13571A	09/01/79 ***	3 A3
5.0PH-3P	13571A	09/01/79 ***	3 A3
1.2PD-1P	14000A	09/01/79 ***	3 A5
2.0PE-1P	14000A	09/01/79 ***	3 A5
3.0PF-3P	14000A	09/01/79 ***	3 A7
5.5PH-3P	14000A	09/01/79 ***	3 A7
4.5PG-3P	14000B	09/01/79 ***	3 A9
1.7PC-1P	14000D	09/01/79 ***	3 A9

## SPECIAL PARTS LISTS INDEX FOR FORM NO. 919-0305

MODEL	SPEC.	DATED	FICHE LOCATION
3.0PF-3P	14680A	09/01/79 ***	3 A11
5.5PH-3P	14696A	09/01/79 ***	3 A11
4.5PG-3P	14696B	09/01/79 ***	3 A13
3.0PF-3P	14697A	09/01/79 ***	3 A13
2.0PE-1P	14752A	09/01/79 ***	3 B1
3.0PF-3P	14753A	09/01/79 ***	3 B1
5.5PH-3P	14754A	09/01/79 ***	3 B3
4.5PG-3P	14754B	09/01/79 ***	3 B3
1.2PD-1P	15150A	09/01/79 ***	3 B5
1.2PD-1P	15581C	09/01/79 ***	3 B5
1.2PC-1P	15581D	09/01/79 ***	3 B7
1.2PC-1P	15581E	09/01/79 ***	3 B7
3.0PF-3P	15582A	09/01/79 ***	3 B9
3.0PF-3P	15582C	09/01/79 ***	3 B9
1.7PC-1P	15582D	09/01/79 ***	3 B11
1.7PC-1P	15582E	09/01/79 ***	3 B11
4.0PG-3P	15583A	09/01/79 ***	3 B13
4.0PK-3P	15583A	09/01/79 ***	3 B13
4.0PK-3P	15583C	09/01/79 ***	3 C1
4.0PN-3P	15583C	09/01/79 ***	3 C1
2.0PE-1P	15985A	09/01/79 ***	3 C3
2.0PE-1P	15985C	09/01/79 ***	3 C3
1.5PC-1P	15985D	09/01/79 ***	3 C5
1.5PC-1P	15985E	09/01/79 ***	3 C5
3.0PF-3P	15986A	09/01/79 ***	3 C7
4.0PG-3P	15987A	09/01/79 ***	3 C7
5.0PH-3P	15987A	09/01/79 ***	3 C9
5.0PH-3P	15995A	09/01/79 ***	3 C9
2.0PE-1P	15998A	09/01/79 ***	3 C11
4.0PG-3P	15999A	09/01/79 ***	3 C11
3.0PF-3P	16036A	09/01/79 ***	3 C13
5.5PH-3P	16690A	09/01/79 ***	3 C13
4.5PG-3P	16690B	09/01/79 ***	3 D1
2.5PF-53BP	17194A	09/01/79 ***	3 D1
4.5PH-53BP	17194A	09/01/79 ***	3 D3
1.4PC-53BP	17194D	09/01/79 ***	3 D3
1.7PC-1P	17196E	09/01/79 ***	3 D5
1.6PE-53CP	17197C	09/01/79 ***	3 D5
2.5PF-53BP	17197C	09/01/79 ***	3 D7
2.5PF-53CP	17197C	09/01/79 ***	3 D7
3.0PF-3P	17197C	09/01/79 ***	3 D9
3.7PG-53CP	17197C	09/01/79 ***	3 D9
3.7PK-53CP	17197C	09/01/79 ***	3 D11
4.5PH-53BP	17197C	09/01/79 ***	3 D11
4.5PH-53CP	17197C	09/01/79 ***	3 D13
4.5PM-53BP	17197C	09/01/79 ***	3 D13
4.5PM-53CP	17197C	09/01/79 ***	3 E1
1.4PC-53BP	17197E	09/01/79 ***	3 E1
1.4PC-53CP	17197E	09/01/79 ***	3 E3
2.5PF-53BP	17210C	09/01/79 ***	3 E3
3.0PF-3P	17249C	09/01/79 ***	3 E5
2.5PF-53BP	17251C	09/01/79 ***	3 E5
4.5PH-53BP	17251C	09/01/79 ***	3 E7
4.5PM-53BP	17251C	09/01/79 ***	3 E7

## SPECIAL PARTS LISTS INDEX FOR FORM NO. 919-0305

MODEL	SPEC.	DATED	FICHE LOCATION
5.5PH-3P	17251C	09/01/79 ***	3 E9
5.5PM-3P	17251C	09/01/79 ***	3 E9
2.0PE-1P	17288C	09/01/79 ***	3 E11
1.7PC-1P	17288E	09/01/79 ***	3 E11
2.0PE-1P	17748C	09/01/79 ***	3 E13
3.0PF-3P	17748C	09/01/79 ***	3 E13
1.7PC-1P	17748E	09/01/79 ***	3 F1
4.5PK-3P	17749C	09/01/79 ***	3 F1
5.5PH-3P	17749C	09/01/79 ***	3 F3
3.0PF-3P	17796C	09/01/79 ***	3 F3
4.0PK-3P	17796C	09/01/79 ***	3 F5
5.0PH-3P	17829C	09/01/79 ***	3 F5
5.0PM-3P	17829C	09/01/79 ***	3 F7
6.5PM-3P	17829C	09/01/79 ***	3 F7
1.6PE-53CP	18084C	09/01/79 ***	3 F9
2.2PE-1P	18084C	09/01/79 ***	3 F9
3.5PF-3P	18085C	09/01/79 ***	3 F11
4.5PK-3P	18086C	09/01/79 ***	3 F11
4.5PN-3P	18086C	09/01/79 ***	3 F13
6.0PH-3P	18087C	09/01/79 ***	3 F13
6.0PM-3P	18087C	09/01/79 ***	3 G1
3.0PF-3P	18180F	09/01/79 ***	3 G1
4.5PK-3P	18180F	09/01/79 ***	3 G3
5.5PH-3P	18180F	09/01/79 ***	3 G3
5.5PM-3P	18180F	09/01/79 ***	3 G5
3.0PF-3P	18444F	09/01/79 ***	3 G5
4.5PK-3P	18444F	09/01/79 ***	3 G7
5.5PH-3P	18444F	09/01/79 ***	3 G7
5.5PM-3P	18444F	09/01/79 ***	3 G9
2.5PF-53CP	18713C	09/01/79 ***	3 G9
4.5PH-53CP	18714C	09/01/79 ***	3 G11
3.7PK-53CP	18716C	09/01/79 ***	3 G11
1.2PC-1P	19252F	09/01/79 ***	3 G13
1.7PC-1P	19252F	09/01/79 ***	3 G13
2.0PE-1P	19252F	09/01/79 ***	4 A1
2.2PE-1P	19252F	09/01/79 ***	4 A1
3.0PF-3P	19253F	09/01/79 ***	4 A3
4.5PK-3P	19254F	09/01/79 ***	4 A3
5.0PK-3P	19254F	09/01/79 ***	4 A5
6.0PM-3P	19271F	09/01/79 ***	4 A5
3.0PL-1P	19536F	09/01/79 ***	4 A7
3.7PK-53CP	19725C	09/01/79 ***	4 A7
3.5PF-3P	19761C	09/01/79 ***	4 A9
5.5PM-3P	19878F	09/01/79 ***	4 A9
3.0PF-3P	20042C	09/01/79 ***	4 A11
4.0PK-3P	20043C	09/01/79 ***	4 A11
4.0PN-3P	20043C	09/01/79 ***	4 A13
5.5PM-3P	20043C	09/01/79 ***	4 A13
6.0PM-3P	20085C	09/01/79 ***	4 B1
1.7PC-1P	20262F	09/01/79 ***	4 B1
2.2PE-1P	20263F	09/01/79 ***	4 B3
3.0PL-3P	20264F	09/01/79 ***	4 B3
5.0PK-3P	20270F	09/01/79 ***	4 B5
5.0PK-3E	20271F	09/01/79 ***	4 B5

SPECIAL PARTS LIST INDEX FOR FORM NO. 717-0302

MODEL	SPEC.	DATED	FICHE LOCATION
6.5PM-3P	20272F	09/01/79 ***	4 B7
6.5PM-3E	20273F	09/01/79 ***	4 B7
5.0PN-3E	20624F	09/01/79 ***	4 B9
3.7PK-53BP	20673C	09/01/79 ***	4 B9